			WATE	R WELL RECORD	Form WWC-5	KSA 82	a-1212			
	ON OF WAT	ER WELL:	Fraction		Sec	tion Numbe	r Township Nun	nber	Range Number	
	STEVENS				SW 1/4	22	T35	S	R 39 E/W	
				ddress of well if local AND 2½ MILES						
		NER: DON ETT								
		# : BOX 303					Board of Ag	riculture. E	Division of Water Resources	
		: HUGOTON		7951		Application Number: 41,405				
LOCATE	WELL'S LO	CATION WITH 4			461	ft. ELEV	ATION:			
ا AN "X" - د	IN SECTION	BOX:	Depth(s) Ground	water Encountered	1	ft.	2	ft. 3.	<u>.</u>	
-	WELL'S STATIC WATER LEVEL . 200 ft. below land surface measured on mo/day/yr 9/12/96									
w k		{						in.	to	
₹ "	I I WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								•	
ī L	_X'	\$	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 (	Other (Specify below)	
	- 3,,,	%	2 Irrigation	4 Industrial						
↓ L	i	\ V	Nas a chemical/	bacteriological sample	e submitted to D	epartment?	YesNoX	; If yes,	mo/day/yr sample was sub-	
<u> </u>	<u> </u>	n	nitted	· · · · · · · · · · · · · · · · · · ·		W	ater Well Disinfected		No	
		ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN		I Clamped	
O Ste		3 RMP (SR)	)	6 Asbestos-Cemen		(specify belo			ed X	
2 PV	_	4 ABS	4.6.1	7 Fiberglass					ided	
									in. to ft.	
_	-			.in., weight42			s./ft. Wall thickness or	gauge No	o <b>. 2</b> 5.0	
TYPE OF	SCREEN OF	R PERFORATION	MATERIAL:		7 PV	-		stos-ceme		
<b>O</b> Ste	eel	3 Stainless	steel	5 Fiberglass	Fiberglass 8 RMP		11 Other	r (specify)		
2 Bra	ass	4 Galvanize	d steel	6 Concrete tile	9 AB	S	12 None	used (op	'	
SCREEN (	OR PERFOR	RATION OPENING			uzed wrapped		8 Saw cut		11 None (open hole)	
1 Co	ntinuous slo	<u> Mill</u>	slot	6 Wire	e wrapped		9 Drilled holes			
2 Lo	uvered shutt	er 4 Key	y punched	7 Tore	ch cut		10 Other (specify)		255	
SCREEN-	PERFORATE	D INTERVALS:	From SCRE	EN 255 ft. to	2/5	ft., Fr	om PERF. 2/5	ft. to	o355ft.	
			From SCRE	EN 355 ft. to	455	ft., Fr	om	ft. to	o	
C	GRAVEL PAG	CK INTERVALS:	From	£0 ft. to	40!	ft., Fr	om		o	
			From	ft. to					o ft.	
6 GROUT Grout Inter	MATERIAL rvals: Fror	:	t. to 20	2 Cement grout ft., From	3 Bento	onite	4 Other		ft. to	
What is th		urce of possible c					estock pens		bandoned water well	
1 Se	ptic tank	4 Lateral	l lines	7 Pit privy		11 Fue	l storage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage lagoon		tilizer storage	6 ther (specify below)		
3 Watertight sewer lines 6 Seepage p						13 Insecticide sto			ND-NOTHING	
Direction f		ooo o oopa	.30 P	· · · · · · · · · · · · · · · · · · ·			•		ATE VICINITY	
FROM	TO		LITHOLOGIC	LOG	FROM	ТО		JGGING II	NTERVALS	
0	200	SURFACE, S								
200	280	FINE SAND		<del></del>						
280	340	SANDY BROW	NN CLAY							
340	460	FINE TO ME								
460	480	REDDISH BE		LOW CLAY						
ļ										
	ļ					<b>+</b>				
	<b>ļ</b>								,	
	ļ l	·							.,	
							<u> </u>			
	ļ				v	<b></b>				
	ļ					<b></b>				
ļ <u></u>	J	No. Company of the Co				1	L		, <sub>12.1</sub> , <sub>12.</sub>	
7 CONTE	RACTOR'S	OR LANDOWNER'	S CERTIFICAT	ION: This water well	was 10 constru	icted, (2) re	constructed, or (3) plu	ugged und	der my jurisdiction and was	
completed	on (mo/day/		/12/96			and this red	cord is true to the bes		owledge and belief. Kansas	
Water Wel	II Contractor'	s License No	.225	This Water	Well Record wa	as completed	d on (mo/d/ay/y/)	6/8/9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4	husiness no	me of KTM DR	TLLING. IN	IC.		by (sign	nature) //	Lek	11/1 To	