WATER W	ELL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	o	
1 LOCATION County: N	ON OF WATER WELL: Morton	Fraction 1/4 SW 1/4 SW	1 1/4 SW 1/	Section	on Number 9	Township No. T 35 S	Range Number R 39	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .37.01239 (in decimal degrees)			
From Elkhart, approx. 1 mi. North & 19 mi. East.				Long	Longitude: 101.57292 (in decimal degrees) Elevation:			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Mitchell Farms				Collec	Collection Method:			
RR#, Street Address, Box #: PO Box 427					GPS unit (Make/Model:)			
		Ks 67950	Est. A	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL 400								
WITH AN	"X" IN 4 DEPTH OF	X" IN 4 DEPTH OF COMPLETED WELL 490						
SECTION N	BOX: Depth(s) Ground	Depth(s) Groundwater Encountered (1)						
	WELL'S STATIC WATER LEVEL							
Pump test data: Well water was. 4.18							ping1206 gpm	
EST. YIELDgpm. Well water wasft. after hours pumping								
W E Bore Hole Diameter 24in. to .490ft., andin. toft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
-						Yes V No		
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16 in. to .490 ft., Diameter ft., Diameter ft., Diameter ft.								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☑ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From395								
GRAVEL PACK INTERVALS: From . 20								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐ Sewage lagoon ☐ Fuel storage ☐ Oil well/gas well ☐ Cesspool ☐ Sewage lagoon ☐								
	Com well South	it [] recayata [			ell250`	is well	• • • • • • • • • • • • • • • • • • • •	
FROM TO			FROM	TO		OG (cont ) or DI I	IGGING INTERVALS	
0 2	Top Soil	IC EOG	339	400	Brown San		GGING INTERVALS	
2 70		o Cond	400	427		nd, Some Crs, M	iv Clave	
70 98	Brown Sandy Clay, Fin							
	Fn-Md Crs Sand, Sm G	orvi, Clay String	427	446		dium Coarse Sa		
98 117	The state of the s		446	461		d. Coarse Sand,		
117 128	Fine Sand	( Fi O 1	461	485		d. Crs Sand, Bry		
128 243			485	490	Brown & R	ted Sandv Clavs	. Sand Beds	
243 282		The state of the s	ļ					
282 298								
298 371	Fine Sand, Clay String							
371 339 Brown Sandy Clay, Fine Sand								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5/12/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No145 This Water Well Record was completed on (mo/day/year) 5/13/2009.								
under the business name of Henkle Drilling & Supply Co., Inc. by (signature) British Ruchman Ruchman								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and cleck the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone, 785-796-5572. Send one comy to WATER WELL OWNIER and retain one for your records. Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								
	•				100m. E 141	COPJ, [_] DII	accopy, rink copy	