


WATER WELL RECORD
KSA 82g-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

County Stevens		Township name SE 1/4		Section number 11		Town number T 35 S		Range number R 39 W	
1 Location of well: Stevens Distance and direction from nearest town or city: 9 1/2 S, 2 1/4 West Street address of well location if in city: of Feterita, Kan				3 Owner of well: Bill Light Address: KOHA, Kansas					
Locate with "X" in section below: <div style="text-align: center;">N  S 1 Mile</div>				Sketch map:		4 Well depth: 538 ft. Date of completion 11/8/12 Well diameter 26 in.			
						5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
2 Type and color of material						6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>			
						7 Casing: Material Steel Height: above 10 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 16 in. Weight 12.5 lbs./ft. 16 in. to 538 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to ft. depth			
Top soil						8 Screen: Manufacturer L.B. Foster Type Steel Dia. 16 Slot/gauze 1/8 Length 300 Set between 218 ft. and 518 ft. Fittings: 1/8 to 1/4 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material			
Fine sand & clay						9 Static water level: 161 ft. below land surface Date 4/15			
Med sand & clay streak						10 Pumping level below land surfaces: NA ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.			
Fine & med sand w/ clay						11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date			
Med sand & clay streak						12 Well head completion: <input type="checkbox"/> Pitless adapter NA <input type="checkbox"/> Inches above grade			
Coarse sand						13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.			
Coarse sand & red clay						14 Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Red clay						15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: Pump Set By Third Party <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
(use a second sheet if needed)						16 Remarks: elevation 8A Johnson Jar Steel 16" 1000 Slot 518-538 14 Crap Land			
16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KTM DRILLING INC. 225 Business name License No. Address: Box 1385, Guyman, Okla. Signed: Anthony Decker Date 12/12 Authorized representative			