1 LOCATION OF W. County: Morton					-5 KSA 82a				
County: Manton		Fraction	am		ection Number	Township Num		Range N	
				SW 1/4	3	T 35	s	R 41	EW
Distance and direction 1 1/2 mile NE &	on from nearest town 5 mile E of Elkh			cated within cit	y?				
2 WATER WELL O	WNER: Northern	Natural Gas							
RR#, St. Address, Bo	x# : Route 1, E	30x 17				Board of Agricults	ure, Divisi	on of Water I	Resources
City, State, ZIP Code	Hugoton,	Kansas 6795	1			Application Numb			
3 LOCATE WELL'S WITH AN "X" IN S						ATION:			
T									
†						urface measured on			
- NW	NE _	Pumpte NALLLEV.	est data: VVell W	aterwas	.v.απ. aı	terh	ours pum	ping	gpm
a		SC. 11810 1144.	gpm: vveiiw	aterwas	π.an	ter h and	ours pum	ping	gpm
₩ Z ije									π.
- i		1 Domestic	BE USED AS: 3 Feedlot			8 Air conditioning		njection well	. 1 . 1
sw	sE			6 Oil field wa		9 Dewatering		ther (Specify	
		2 Irrigation /as a chemical/b	4 industrial acteriological sar	Lawn and 0 / Lawn and 0	garden only to Department	10 Monitoring well ? YesNo.	· If you	moldovlyr og	
<u> </u>		ubmitted	acteriological sai	Tiple Submitted		ter Well Disinfected?	-	mo∧uay/yrsa No	./
TYPE OF BLANK	<u> </u>		\\/rayahtiran	0 0	rete tile	CASING JOINT			<u> </u>
5 TYPE OF BLANK 1 Steel	3 RMP (SR)		Wrought iron Asbestos-Ceme		rete tile r (specify belo				•
2 PVC	4 ABS					•	_	d	
Blank casing diamete			Fiberglass			 # Dia			
Casing height above			., weight						44
TYPE OF SCREEN C			F:h	(7) P\		10 Asbes			
1 Steel	3 Stainless ste		Fiberglass		MP (SR)				• • • • • • • •
2 Brass	4 Galvanized RATION OPENINGS		Concrete tile	9 AI	38	12 None		•	
SCREEN OR PERFO 1 Continuous s				uzed wrapped		8 Saw cut		11 None (op	en hole)
		punched		re wrapped rch cut		9 Drilled holes			
2 Louvered shi SCREEN-PERFORAT						10 Other (specify) .		· · · · · · · · · · · · · · · · · · ·	
OUNLLIN-FERFURA	ED INILIVALO.	From 4	35ft. to	53,5 .	ft., Fro	om	ft. t	o	.5 ft
		From 4.		54,6	ft., Fro	om	ft. t	o	ft. .5 ft.
GRAVEL PA	ACK INTERVALS:	From		54,6 3)Bent	ft., Fro	om	ft. t	o	
GRAVEL PA	ACK INTERVALS:	From		54,6 3)Bent	ft., Fro	om	ft. t	o	
GRAVEL PAGE GROUT MATERIA	ACK INTERVALS: L: 1 Neat cen	From		54,6 3)Bent	ft., From the first ft., From the ft., From the ft., From the ft., From the from ft., ft., from the from ft., ft., ft., ft., ft., ft., ft., ft.,	om	ft. t	o	.5 ft .62.2 ft
	ACK INTERVALS: L: 1 Neat cen	From		54,6 3)Bent	ft., From the first ft., From the ft., From the ft., From the ft., From the from ft., ft., from the from ft., ft., ft., ft., ft., ft., ft., ft.,	om	ft. t ft. t ft. t	o	
GRAVEL PAGE GROUT MATERIA Grout Intervals: Fro What is the nearest s	ACK INTERVALS: L: 1 Neat cer m 0 ft. source of possible co	From	ft. to ft. to ft. to ft. to Cement grout ft., From	37.5 ft.	ft., Froft., Froft., Froft. 4 to41.6. 10 Lives 11 Fuel	om	ft. t ft. t ft. t ft. t 	o	
GRAVEL PAGE GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	L: 1 Neat cen m 0 ft. source of possible co 4 Lateral I 5 Cess poer lines 6 Seepage	From	ft. to 1.6 ft. to ft. to Cement grout ft., From 7 Pit privy	37.5 ft.	ft., Froft., Froft., Froft., Froft. 4 to41.6. 10 Lives 11 Fuel 12 Fertil	om	ft. t ft. t ft. t ft. t 54.1 14 Ab 15 Oil	o	
GRAVEL PAGE GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	L: 1 Neat cen m 0	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	37.5 ft.	ft., Froft., Froft., Froft., Froft. 4 to41.6. 10 Lives 11 Fuel 12 Fertil	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	ACK INTERVALS: L: 1 Neat cen m 0	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2	ACK INTERVALS: 1 Neat center of possible control of possible control of the cont	From	ft. to 1.6 ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10	ACK INTERVALS: 1 Neat cer 1 Neat cer 2	From	ft. to 1.6 ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23	ACK INTERVALS: 1 Neat cer m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32	ACK INTERVALS: 1 Neat cer m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., Froft., Fro	om	ft. t ft. t	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file	om	14 Ab 15 Oil 16 Oth Ab	o	
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77	ACK INTERVALS: 1 Neat cen m	From	ft. to 1.6 ft. to Cement grout 7 Pit privy 8 Sewage I 9 Feedyard G Brown	3 Bent 37.5 ft.	ft., From the first file of the file of th	om	14 Ab 15 Oil 16 Oth Ab	o	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77 77 82	ACK INTERVALS: 1 Neat cer m	From	ft. to 1.6	38ent 37.5 ft.	ft., From the from th	om	ft. t. ft. t.	o	62.2 ft. below) ST
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 10 10 23 23 32 32 56 56 77 77 82 CONTRACTOR'S of and was completed of and was completed of a series	ACK INTERVALS: 1 Neat cer m	From	ft. to 1.6 ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard G Brown 7 This water wel 10/30/95	3Bent 37,5 ft.	ft., From the from th	om	Morton Coest of my	o	ft
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 10 10 23 23 32 32 56 56 77 77 82	ACK INTERVALS: 1 Neat cer 1 Neat cer 2	From	ft. to 1.6 ft. to Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard G Brown 7 This water wel 10/30/95	37.5 R. agoon FROM I was (1) const	ft., From the from th	om	Morton Coest of my	o	ft