

1) LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Morton		<u>N/C</u> $\frac{1}{4}$ NW $\frac{1}{4}$	6	T 35 S	R 41 E/W
Distance and direction from nearest town or city street address of well if located within city? 3 Miles North, 3/4 Mile South, 1/4 Mile East of Elkart, Kansas					
2) WATER WELL OWNER:		Robert Grieshaber Murfin Drilling, Inc.			
RR#, St. Address, Box # :		Rt. 1 Box 40 Box 661		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		Elkart, Ks. 67950 Colby, Ks. 67701		Application Number: 930294	
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: 300 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>50</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes..... No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No <u>X</u>			
5) TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		CASING JOINTS: Glued Clamped	
<u>2 PVC</u>		4 ABS		Welded	
Blank casing diameter <u>5 1/2</u> in. to ft., Dia in. to ft., Dia in. to ft.		5 Wrought iron		Threaded	
Casing height above land surface -36 in., weight lbs./ft. Wall thickness or gauge No.		6 Asbestos-Cement			
		7 Fiberglass			
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel		7 PVC	
2 Brass		4 Galvanized steel		10 Asbestos-cement	
		5 Fiberglass		11 Other (specify) <u>NA</u>	
		6 Concrete tile		12 None used (open hole)	
		8 RMP (SR)			
		9 ABS			
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot		8 Saw cut	
2 Louvered shutter		4 Key punched		11 None (open hole)	
		5 Gauzed wrapped		9 Drilled holes	
		6 Wire wrapped		10 Other (specify) <u>NA</u>	
		7 Torch cut			
SCREEN-PERFORATED INTERVALS:					
From <u>NA</u> ft. to <u>NA</u> ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS:					
From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6) GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
Grout Intervals: From <u>6</u> ft. to <u>3</u> ft., From ft. to ft., From ft. to ft.		4 Other			
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		10 Livestock pens	
2 Sewer lines		5 Cess pool		11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit		12 Fertilizer storage	
		7 Pit privy		14 Abandoned water well	
		8 Sewage lagoon		15 Oil well/Gas well	
		9 Feedyard		16 Other (specify below)	
				<u>NONE APPARENT</u>	
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			300	50	Washed Sand
			50	6	Clay
			6	3	Bentonite
			3	0	Top Soil
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-13-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>554</u> . This Water Well Record was completed on (mo/day/yr) <u>9-14-93</u> under the business name of <u>Woofter Pump & Well, Inc.</u> by (signature) <u>[Signature]</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers! Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					