

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

Kniffen A-2

CWW Inv. # 11273

1 Location of well:	County Morton	Township name	Fraction SE SE	Section number 13	Town number 35S	Range number 41W
Distance and direction from nearest town or city: Go to Rolla turn off on 2nd St. Rd. Then 3 mi. So., 5 Mi. West						
Street address of well location if in city: 1/4 No. to Location						
3 Owner of well: Lohmann & Johnson Drilling Co. % Lewis Ledbetter Address: 1528 N. Ellison Guymon, Oklahoma 73942						
Locate with "X" in section below: N W E S 1 Mile		Sketch map: Rolla turn off 2nd St. Rd Liberty 5 mi West 3 mi So		4 Well depth: 380 ft. Date of completion 4/27/75 Well diameter 9 in.		
2 Type and color of material				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/> Oil well		
Surface				7 Casing: Material PVC Height: above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in. Diam. 5 1/2 in. to 230 ft. depth Weight 230 lbs./ft. No 5 1/2 in. to 380 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				X Screen: Manufacturer Wesco Type 5 1/2" Dia. 5 1/2" Slot/gauze 0.030 Length 10 Set between 230 ft. and 240 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material		
Sandy Clay				9 Static water level: 230 ft. below land surface Date 4/27/75		
Coarse Sand & Clay 80/20				10 Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 20 g.p.m.		
Sandy Clay				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
Coarse Sand & Clay 80/20				12 Well head completion: <input type="checkbox"/> Pitless adapter 18 inches above grade		
Sandy Clay				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.		
Coarse Sand & Clay 80/20				14 Nearest source of possible contamination: ft. 100 Direction SW Type Oil Well Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Coarse Sand & Clay 70/30				15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.m.p. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Coarse Sand & Clay 90/10				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name Box AA Liberal, Kansas License No. Address Edward E. Means Date 5/2/75 Signed Edward E. Means Authorized representative		
Coarse Sand & Clay 70/30						
(use a second sheet if needed)						
16 Remarks: elevation						
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						