KOLAR Document ID: 1527838

	WELL R	Correction		WWC-5 ge in Well Use		ivision of W sources App			Well ID			
		ATER WEL		Fraction		ection Num		Township Numb		ige Number		
County:					¹ / ₄ ¹ / ₄	1 0				□E □W		
						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
City:			State:	ZIP:								
3 LOCATE WELL WITH (SY) IN 4 DEPTH OF COMPLETED WELL:						ft. 5 Latitude :(decimal degrees)						
WITH " SECTIO	Depth(s) Gr	oundwater	ft.		Longitude:							
	N	2) ft. 3) ft., or 4) □ Dry WELL'S STATIC WATER LEVEL:					Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27					
			It. y-yr)		Source for Latitude/Longitude:							
NW	NE	above l	y-yr)		(WAAS enabled? Yes No)							
		Pump test d			□ Land Survey □ Topographic Map □ Online Mapper:							
W X.	E SE	unter	after hours pumping gpi Well water was ft.									
SW	SE		after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	ft. and		Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map							
	nile		in. to f				□ Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
				ig: how many wells?.		11. Test Hole: well ID						
Lawn & Garden 7.			7. 🗌 Aquifer Recharge: well ID			. 🗆	Cased Uncased Geotechnical			1		
					: well ID Remediation: well ID			12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical				
3. Feedlot Air Sparge					Soil Vapor Extraction			b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Nearest sou	rce of possibl	le contaminati	on: No	potential source of co	ontamination v	vithin 200 ft.						
Septic Sewer			Lateral Line Cess Pool			Livestock			vide Storage			
□ Watert	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		ГНО. LOG (cont.) or		G INTERVALS		
								. ,				
	+											
	├ ───┤				Notari							
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
	usiness nam	e of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	ttp://www.kdhe	eks.gov/waterwel	l/index.html				-		KS	SA 82a-1212		