1 LOCATI	ION OF WA	NTER WELL:	Fraction		Sec	ction Number	I ownship Nu	mber	Range Number	
County:	Smith		SW 1/4	NW 1/4	SW 1/4	10	T 3	S	R 11 E(W)	
				address of well if lo	cated within city	?	· <del></del>		9	
800' S o	of Lebano	n City Limits	on HWY 281							
2 WATER	R WELL O	NNER: Indeper	ndent Oil Co.							
_		x# : RR2, B					Poord of Agricu	ltura Divis	sion of Water Resources	
		•		EC 40			Application Nun		SIOIT OF VIALET INESOURCES	
City, State,			y, Missouri 6		25				102.62	
3 LOCATE	E WELL'S	ECTION BOX:							323,63	
VVIII/		N							3 ft	
Ā ┌	1		WELL'S STATIC	WATER LEVEL .	22.08 ft.	below land su	irface measured o	n mo/day/y	/r <b>. 2/1/96</b>	
	,	1	Pump	test data: Well w	ater was	ft. af	ter	hours pur	npinggpm	
	- NW	NE	Est. Yield N	apm: Well w	vater was	ft. af	ter	hours pur	nping gpm	
<u>o</u>	;	;							. to	
W Mile		E		TO BE USED AS:			8 Air conditioning		Injection well	
T .			1 Domestic	3 Feedlot					Other (Specify below)	
<u>  X</u>	- sw	SE								
			2 Irrigation	4 industrial	Lawn and g	arden only	TO INIONITORING Well	. If was	moldoulus comple une	
♦		1		i/bacteriological sai	mpie submitted t				mo/day/yr sample was	
		3	submitted				ter Well Disinfecte		No <b>√</b>	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron		rete tile	CASING JOI		d Clamped	
	eel	3 RMP (SF	₹)	6 Asbestos-Ceme	ent 9 Other	(specify belo	w)		ed	
(2)P\	/C	4 ABS		7 Fiberglass		<i></i>			aded	
Blank casir	na diamete	r <b>.2</b>	in. to 1	0 ft., Dia	in.	to	ft., Dia		. in. to ft.	
Casing hei	ight ahove l	and surface	-3.48	in weight	Sch. 40		t. Wall thickness	or daude N	lo	
_	-	R PERFORATION			(7)PV			estos-cem		
		3 Stainless		5 Fiberglass					)	
1 St		0 0.0		<del>-</del>	9 AB					
2 Br		4 Galvaniz		6 Concrete tile	•	5		e used (op	•	
		RATION OPENIN			auzed wrapped		8 Saw cut		11 None (open hole)	
1 Co	ontinuous s		fill slot	• • • • • • • • • • • • • • • • • • • •			9 Drilled holes		•	
2 Lo	ouvered shu	ıtter 4 K	ley punched		rch cut					
SCREEN-F	PERFORAT	ED INTERVALS:	: From	. 10 ft. to	<b>25</b>	ft., Fro	om	ft.	to ft	
			From	ft. to		ft., Fro	om	ft.	to ft	
G	RAVEL PA	CK INTERVALS:	: From	<b>8</b> ft. to	<b>25</b>	ft., Fro	om	ft.	to ft	
			From	ft. to		ft., Fro	om	ft.	to ft	
6 GROUT	MATERIA	· 1 Neat	cement	2 Cement grout	3 Bentr	onite 4	Other			
6] GKOO1		_ 6	# to	# From		to 6	ft From			
									bandoned water well	
		ource of possible					tock pens			
1 Septic tank 4 Late				7 Pit privy			11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Ces			s pool	8 Sewage lagoon			12 Fertilizer storage (16 Other (specify below)			
								ST Basin		
Direction f	from well?	E					ny feet? 100			
FROM	TO		LITHOLOGIC	LOG	FROM	то	PL	JGGING II	NTERVALS	
0	4	Clay, Dark B	rown						, <u></u>	
4		Clay, Light B								
10.5		Clay, Dark B								
13			n Orange-Bro	wn						
			m Orange-Bro							
19.5						<del>                                     </del>		<del></del>		
22.5	25	Shale, Light	Yellow-Brown							
						<del>                                     </del>				
	<u> </u>									
							/W5 . Tag # 00126	476 Finel	mount	
						<del></del>	MW5, Tag # 00126476, Flushmount			
						<del></del>	Project Name: Independent Oil			
							GeoCore # 100 , KI			
7 CONTR	ACTOR'S	OR LANDOWNER	R'S CERTIFICATI	ON: This water we	ell was (1) constr	ucted, (2) red	onstructed, or (3)	plugged ur	nder my jurisdiction	
and was o	ompleted o	n (mo/dav/vear)		3/10/95		and this r			y knowledge and belief.	
Kanese M	later Well C	Contractor's Licen	nse No	.527	This Water We	I Record was				
	business n			re Services, Inc		by (signa		A.	abl.	
								4 ans	Cand tan three sesies to Vanna	
INICTOI	LICTIONS: LIG	e typewriter or ball po	oint pen. <u>PLEASE PI</u>	KESS FIRMLY and PRI	<u>rv/</u> clearly. Please f	Hin Dianks, unde 3.5545 Seod ope	rline or circle the correct to WATER WELL OW	ι answers. ∜ NFR and ret	Send top three copies to Kansas	

WATER WELL RECORD Form WWC-5 KSA 82a-1212