

1 LOCATION OF WATER WELL: County: Smith Fraction SE 1/4 SW 1/4 SW 1/4 Section Number 22 Township Number T 3 S Range Number R 13 E/W

Distance and direction from nearest town or city street address of well if located within city?

Grant & Parliament Streets, Smith Center

2 WATER WELL OWNER: Smith County Highway Dept. RF#, St. Address, Box #: 218 S. Grant Street City, State, ZIP Code: Smith Center, KS 66967 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a grid with NW, NE, SW, SE quadrants and an 'X' in the SW quadrant.] 4 DEPTH OF COMPLETED WELL: 23 ft. ELEVATION: ... Depth(s) Groundwater Encountered ... WELL'S STATIC WATER LEVEL ... Pump test data: Well water was NA ft. after ... hours pumping ... Est. Yield NA gpm: Well water was ... ft. after ... hours pumping ... Bore Hole Diameter 5 in. to 23 ft., and ... in. to ... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No [checked] If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No [checked]

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC [checked] 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Threaded [checked] 7 Fiberglass Blank casing diameter 0.75 in. to 18 ft, Dia in. to ... ft, Dia in. to ... ft Casing height above land surface 0 in, weight lbs./ft Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC [checked] 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot [checked] 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 18 ft to 23 ft, From ... ft to ... ft From ... ft to ... ft, From ... ft to ... ft GRAVEL PACK INTERVALS: From 16 ft to 23 ft, From ... ft to ... ft From ... ft to ... ft, From ... ft to ... ft

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout [checked] 3 Bentonite [checked] 4 Other Grout Intervals: From 0 ft to 1 ft, From 1 ft to 16 ft, From ... ft to ... ft What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet?

Table with 3 columns: FROM, TO, LITHOLOGIC LOG; and 3 columns: FROM, TO, PLUGGING INTERVALS. Rows show intervals from 0-2 (Clay), 2-11 (Silt), 11-18 (Clay), 18-23 (Silt).

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/2/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 4/23/2010 under the business name of GeoCore, Inc. by (signature) Dale Bell

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EM

SEC

1/4

1/4

1/4