WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WE		Section Number Township No. Range Number	
County: Smith	1/4 NW 1/4 NE 1/4 NW		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .		Latitude:	
4 3/4 West of Smith Center		Elevation: (in decimal degrees)	
		Datum: WGS 84, NAD 83, NAD 27	
	Joe Wilson	Collection Method:	
RR#, Street Address, Box #: 13062 165 Road		GPS unit (Make/Model:)	
City, State, ZIP Code : Smtih Center, KS 66967		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL			
WITH AN "X" IN 4 DEP	TH OF COMPLETED WELL .60		
SECTION BOX: Depth(s)			
N WELL'S	Δ Δ have an analysis		
X Fet VI	ECT VIELD M/A come Well system was fighter hours numping grow		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)			
Industrial Domestic-lawn & garden Monitoring well Monitoring well Monitoring well Monitoring well Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
Water went districted.			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight .SDR-26			
TYPE OF SCREEN OR PERFOR		wan unexites of gauge 110.	
Steel Stainless Steel PVC Other (Specify)			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Continuous stot ☐ Mill stot ☐ Gauze wrapped ☐ Forch cut ☐ Diffict holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From 40 ft. to 20 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to 20 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft.			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)			
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None			
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well None Direction from well □ Distance from well			
	HOLOGIC LOG FROM		
0 2 Top soil			
2 15 Brown clay			
15 26 Broken rock & s			
26 60 Weathered gray	/ shale		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .9-12-13 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 10-23-13			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.			
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			