KOLAR Document ID: 1419283

	WELL R			WWC-5		ivision of Wa					
		Correction		ge in Well Use		sources App.			Well ID		
1 LOCATION OF WATER WELL: Fraction					-			Township Numb		ige Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						unal Addrea	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
2 WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:					uncetion noi						
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
	SECTION BOX. Depth(s) Groundwater Encountered						Longitude:(decimal degrees)				
1				Dry Well			WGS 84 NA		IAD 27		
			WELL'S STATIC WATER LEVEL:					r Latitude/Longitude		、 、	
NW	^{NE} X		above land surface, measured on (mo-day-yr					(unit make/model: WAAS enabled?			
		Pump test d				Land Survey Topographic Map					
w	E	after	hours			Online Mapper:					
SW	SE	0	ft.								
		after hours pumping			. gpm	6 Elevation:ft. Ground Level TOC				Level 🗌 TOC	
	S	Bore Hole Diameter: in. to			ft. and		Source: Land Survey GPS Topographic Ma				
1 r	nile		in. to			□ Other					
7 WELL WATER TO BE USED AS:											
	1. Domestic: 5. Public Water Supply: well ID										
					11. Test Hole: well ID						
			 7. ☐ Aquifer Recharge: well ID 8. ☐ Monitoring: well ID 				□ Cased □ Uncased □ Geotechnical 12. Geothermal: how many bores?				
2. Irrigati								d Loop Horizont			
3. □ Feedlot □ Air Sparge □ Soil Var											
4. Industrial Recovery Injection							13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel Fiberglass PVC Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
☐ Septic			Lateral Line	es 🗌 Pit Privy	[Livestock I	Pens	□ Insectio	cide Storage		
Sewer 2			Cess Pool	□ Sewage L		Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		THO. LOG (cont.) of		G INTERVALS	
							<u> </u>				
					Notes:	1					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \Box constructed, \Box reconstructed, or \Box plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
under my j	urisdiction a	nd was compl	eted on (n	no-day-year)	an	d this record	l is tr	ue to the best of m	y knowled	ge and belief.	
				This W							
		Send one copy to	WATER W	ELL OWNER and retain	one for your r	cords. Fee of	\$5.00 t	for each constructed we	211.		
-	nent of Health a	nd Environment	, Bureau of V	Water, Geology Section, 1					7. Telephone		
Visit us at h	ttp://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212	