WATER V				WWC-5	I	Divisio	n of Water	•		IW-8	
Original R				ge in Well Use			es App. No.		Well ID		
1 LOCATION OF WATER WELL: Fraction County: Smith Fraction NE 1/4 SW 1/4 SE 1/4						Section Number Township Number Range Number					
				NE 1/4 SW 1/4 SE 1/							
						treet or Rural Address where well is located (if unknown, distance and					
Business:	Address: D.O. Day 424					irection from nearest town or intersection): If at owner's address, check here:					
Address:					223 S. M	ain St	reet, Kens	sington, KS 6695	ĺ		
City: Kensington State: KS ZIP: 66951											
3 LOCATE		4 DEPTH	OF CON	MPLETED WELL:	52.7	A	5 Latitud	e: 39.7646	39	(degimal degrees)	
1	WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)										
				3) fl., or 4)		.	Horizont	al Datum: WGS 8	4 NAD	83 NAD 27	
1		WELL'S ST	ATIC WA	TER LEVEL:35	.63 ft.	İ	Source for	or Latitude/Longitude	e:		
'	1		below land surface, measured on (mo-day-yr)				■ GPS	(unit make/model:	EPOCH)	
NW	- NE		□ above land surface, measured on (mo-day-yr) Pump test data: Well water was					(WAAS enabled?		(o)	
w	$-\overset{x}{-}\overset{}{-}_{\mathrm{E}}$		after hours pumpinggp				Land Survey Topographic Map				
1 1 1 1	' j		Well water was ft.				m Online Mapper:				
sw	- SE	after	. gpm	m 1775.63 0 5 0 1 1 5 5 5 6							
		Estimated Y		6 Elevation:							
S	I_ /	Bore Hole Diameter: 8.75 in. to 52.7			ft. and	ft. and Source: Land Survey					
1 mile in. to ft.											
7 WELL WATER TO BE USED AS:											
1. Domestic:											
_	Lawn & Garden 7. Aquifer Recharge: well ID							d Uncased			
_	☐ Livestock 8. ☐ Monitoring: well ID										
2. Irrigation	. Irrigation 9. Environmental Remediation: well ID.						a) Close	ed Loop 🔲 Horizon	tal 🗌 Verti	ical	
3. ☐ Feedlot	=				Extraction						
4. Industrial			Recovery					r (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? ☐ Yes ■ No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter 2 in to 48.0 ft., Diameter 2 in to 50.5-52.7ft., Diameter in to ft.											
Casing height above land surface6 in. Weight											
Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
_	☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
		☐ Key Punch		/ire Wrapped ☐ Sa	aw Cut] None	(Open Hole	e)			
SCREEN-PE	RFORATE	ED INTERVA	ALS: From	n . 48.0 ft. to .50.5	ft., Fror	n	ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: From45.2 ft. to52.7 ft., From ft. to ft., From ft. to ft.											
9 GROUT N	MATERIA - E	L: D Neat c	ement [Cement grout B	entonite I	Other	_r sano an	a siit of remediai	rench abo	ve 4.2	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other sand and silt of remedial trench above 4.2 Grout Intervals: From 4.2 ft. to 45.2 ft., From ft. to ft., From											
☐ Septic Ta			un: Lateral Line	es 🔲 Pit Privy		□ Liv	estock Pens	□ Insecti	cide Storage		
☐ Sewer Lir	nes	\Box	Cess Pool	☐ Sewage La			l Storage		oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Sp	pecify)						`				
Direction from	well? .dl. S	ouice	****************	Distance from w				ft	<u> </u>		
10 FROM 5	TO		JIHOLO	GIC LOG	FROM		TO L	THO. LOG (cont.) o	PLUGGIN	G INTERVALS	
5 1		Silty Clay Silt									
10 1		Silty Clay	·			+					
16 2		Sandy Silt		······································							
22 3		Sand									
35 4			ilty Clay with sand								
40 4						Notes:					
45 52.7 Clayey Sand Kensington Cooperative Assn. KDHE BER Project Code: U6-092-00406											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) 4/22/2021 and this record is true to the best of my knowledge and belief											
Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo-day-year) .7/19/2021 under the business name of Environmental Priority Service											
under the bus	siness name	of Environ	mental P	riority.Service		Signa	ture	M M			
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.											
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										



