				WELL RECORD	Form WWC-				· · · · · · · · · · · · · · · · · · ·	
LOCATION OF WATER WELL: County			Fraction	710 NT		ction Number	1	Number	Range N	
County:			SW 1/4 S			29	J T 3	} s	R 15	S EW /
Distance a		S. Main	vir or city street addi	ess of well if local	ted within city?					
			sington Co-							
	WELL OW	_	128	-op			Onesed .	a f f f f f f f f f f f f f f f f f f f	Division of Mate	. Danaurana
	Address, Box		sington, Ks	-		ODW		,	Division of Wate	r Hesources
	ZIP Code) •	ΕΛ	UDW-	Z Applica	tion Number:		
AN "X"	IN SECTION	N BOX:	4 DEPTH OF COM Depth(s) Groundwa	ter Encountered	1	ft	2	ft. 3	1	
ī	!	ı	WELL'S STATIC W		-					i i
1 L	- NW	NE		est data: Well wa				-		
l	-		Est. Yield					•		
w F	1	<u></u>	Bore Hole Diamete	r ,6 in. ti	o		and	in	. to <i>,</i>	
								Injection well		
ī L	_ swl	SF	1 Domestic	3 Feedlot					Other (Specify	
	1		2 Irrigation	4 Industrial		-				
, L			Was a chemical/bad	cteriological sample	e submitted to D					
<u>-</u>	\$		mitted				ater Well Disinfe			ζ
5 TYPE C	OF BLANK C	ASING USED:		Wrought iron	8 Conc				d Clamp	1
1 Ste		3 RMP (S	•	Asbestos-Cemen		(specify belo	•		led	
2 PV		4 ABS		Fiberglass					aded	
			.in. to 30							
_	•		D in	., weight •				-		K
– – .		R PERFORATIO			7 P			Asbestos-ceme		
1 Ste		3 Stainles		Fiberglass		MP (SR)				
2 Bra		4 Galvaniz		Concrete tile	9 AI	38		None used (or	•	
		RATION OPENIN			uzed wrapped		8 Saw cut		11 None (ope	in noie)
	ntinuous slo		lill slot		e wrapped		9 Drilled hol			
	uvered shutt		ey punched	/ 10rd) ft. to	ch cut	4				
SCHEEN-I	PERFORATE	ED INTERVALS:								
c.	DAVEL DA	CK INTERVALS:		3 ft. to						
	AUVEL LV	OK INTERVALS.	From	ft. to			<u>om</u>		to	
6 GBOUT	MATERIAL	: 1 Neat		Cement grout						
Grout Inter	vals: From	n 0	.ft. to24	. ft. From	24 ft.					
		ource of possible		,			stock pens		bandoned wate	
	ptic tank		ral lines	7 Pit privy			storage	15 C	oil well/Gas well	·
2 Sewer lines 5 Cess poo			pool	• •			12 Fertilizer storage 16 Other (specify below)			
3 Wa	atertight sew	er lines 6 Seep		9 Feedyard		13 Inse	cticide storage		d Fuel S	
Direction f	•		•	•		How ma	any feet?			
FROM	TO		LITHOLOGIC LO		FROM	то		PLUGGING	NTERVALS	
0	5	,	Drk Brwn.	Sandy Si	lt	1				
			lty Sand	And the second s		<u> </u>			and the second s	
5	10		wn Very Sl		lty Sand					
10_	15		wn. Silty			1				
			o Fine San							
15	25		wn. Silty							
25	50		wn to Tan	Sand to					-	
THE SECTION CONTRACTOR		Silt	y Sand							
						·				
						- 				
						-				
										
			R'S CERTIFICATION	N: This water well	was (1) constr					
•	on (mo/day/	• •	5-94						nowledge and be	elief. Kansas
Water Wel	I Contractor'	s License No		This Water		•			-94	
	business na		fter Pump	·····			ature) —	1 7 10	my con	<u> </u>
INSTRU	CTIONS: Use ty	pewriter or ball point ent, Bureau of Water	pen. <u>PLEASE PRESS FIRM</u> , Topeka, Kansas 66620-0	MLY and PRINT clearly.	Please fill in blanks 6-5545. Send one t	underline or circ WATER WELL C	le the correct answer	Send top three one for your record	opies to Kansas D	Department