				R WELL RECOR	RD Form	WWC-5	KSA 82a-12	212 ID No	MW-6			
	N OF WATER						on Number		nip Number	1	ge Numb	
County:	Phil	lips	SE 1/4	SE 1/4	SW	V ₄	27	T	3 s	R	16	EW
Distance and B19 Fronta	l direction from age Road, A	nearest tov Agra, Ks	vn or city street add	dress of well if I	located with	in city?						
WATERV	VELL OWNER	KDHE	T & M									
RR# St Add	ress Box #	· 1000 S	SW Jackson					Board of	Agriculture, D	ivision of W	ater Res	ources
City, State, Z	IP Code WELL'S LOCA	Topek	a, Ks					Application	on Number:			
AN "X" IN	SECTION DO	X:				55	ft. ELEV	ATION:				
	N		Depth(s) Ground	water Encounte	ered 1		ft.	2	ft.	3		ft.
1	1	1	WELL'S STATIC	WATER LEVE	L	ft. b	elow land s	urface meas	ured on mo/da			
	- NW	NE		test data: W				. after	hour	s pumping		gpm
		i	Est. Yield Bore Hole Diame WELL WATER T 1 Domestic	gpm: W	ell water wa	as	ft	. after	hour	s pumping		gpm
W W		÷ E	Bore Hole Diame	ter 6	in. to	55		ft. and		in. to		ft.
î l			WELL WATER T	O BE USED AS	S: 5 Publ	ic water su	pply	8 Air co	nditioning	11 Injectio	n well	
ļ	-sw	SE	1 Domestic	3 Feed lot	6 Oil fi	eld water s	upply	9 Dewa	tering	12 Other (Specify b	elow)
	∃ x	i		4 Industrial		-			-			
′	S		Was a chemical/l	bacteriological :	sample sub	mitted to D						
			submitted						nfected? Yes			
TYPE OF	BLANK CASI			5 Wrought	Iron	8 Concre	te tile	CASING				
_1 Stee		3 RMP	(SR)	6 Asbestos	-Cement	9 Other (specify belo	w)	W	elded		
2 PVC		4 ABS		7 Fiberglas					Th	readed		
Blank casing	diameter	2	in. to 30	ft., Dia				tı D:-		in. to		ft.
Casing heigh	nt above land s	surface	.5	in., weight	.7	16	lbs./ft.	Wall thickne	ss or gauge N	lo.	.154	
YPE OF SO	CREEN OR PE	RFORATIO	N MATERIAL:			7	PVC	10	Asbestos-ce	ment		
1 Stee	el	3 Stainl	ess steel	5 Fiberglas	s	8	RMP (SR)	11	Other (specif	fy)		
2 Bras	ss	4 Galva	inized steel	6 Concrete			ABS		None used (
SCREEN OF	R PERFORATI				Gauzed Wire wra	wrapped		8 Saw cu	ıt.	11 Non	e (open f	nole)
1 Con	itinuous slot	3	Mill slot	6	Wire wra			9 Drilled				
	vered shutter		Key punched		7 Torch cu	rt		10 Other	(specify)			
SCREEN-PE	ERFORATED I	NTERVALS	: From	30 ft.	to	55	ft. F	rom		ft. to		ft.
			From	ft.	to		ft. F	rom		ft. to		ft.
GRA	AVEL PACK IN	ITERVALS:	From	28 ft.	to	55	ft. F	rom		ft. to		ft.
			From	ft.	to		ft. F	rom		ft. to		ft.
6 GROUT	MATERIAL:	1 Neat	cement 2	Cement grout		3 Bent	onite	4 Other				
Grout Interva	als From	1	ft. to 28	ft. From		ft. te	0	ft. Fr	rom	ft. to		ft.
What is the	nearest source	of possible	contamination:				10 Lives	tock pens	14	Abandoned	water we	ell
1 Sep	tic tank		4 Lateral lines	7	Pit privy		11 Fuels	storage	15	Oil well/ Gas	well	
2 Sev	ver lines		5 Cess pool	8	Sewage la	goon	12 Fertili	zer storage	16	Other (speci	fy below)
3 Wat	tertight sewer I	ines	6 Seepage pit		Feedyard			ticide storag				
Direction fro	m well?						How many	feet?				
FROM		CODE		OGIC LOG	I	FROM	TO		PLUGGING	INTERVAL	.S	
0	53		lt, Clayey, lig	ht-medium	1							
			rown									
53	55		and, silty, ligh	it brown, fi	ine-							
		C	oarse grain				ļ					
							-					
							·					
7 CONTRA	CTOR'S OR I	LANDOWNE	R'S CERTIFICAT	ION: This wate	r well was (1) construct	ted. (2) recor	structed, or	(3) plugged ur	der my juris	diction ar	id was
	n (mo/day/yr)			1/08	_				st of my know			
	Contractor's Li	cense No		554					mpleted on (r		11/0	
	usiness name (Woof	ter Pump 8				y (signature)	// /	10 7	10	
INSTRU	JCTIONS: Plea	ase fill in blan	ks and circle the con	rect answers. Se	end three cor	oies to Kans	as Departmer	nt of Health ar	d Environment	Bureau of W	ater, 100	0 S W
Jackson	n St., Ste. 420,	Topeka, Kans	sas 66612-1367. Tel	ephone: 913-29	6-5545. Sen	d one to WA	ATER WELL	OWNER and r	etain one for yo	our records.		