

1 LOCATION OF WATER WELL: County: Phillips Fraction: NE 1/4 SW 1/4 SW 1/4 Section Number: 35 Township Number: T 3 S Range Number: R 17 EW

Distance and direction from nearest town or city street address of well if located within city? 1 mile south on 600 Rd & 1/4 mile east on Santa Fe Rd from 36 Hwy from Phillipsburg, KS.

2 WATER WELL OWNER: James & Kathy Beard RR#, St. Address, Box #: 615 East Santa Fe Rd City, State, ZIP Code: Phillipsburg, KS 67661 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 4-quadrant grid with 'X' in the SW quadrant] 4 DEPTH OF COMPLETED WELL: 63' ft. ELEVATION: 30' ft. WELL'S STATIC WATER LEVEL: 30' ft. below land surface measured on mo/day/yr 8-28-06

5 TYPE OF BLANK CASING USED: 2 PVC 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 4 ABS 7 Fiberglass Threaded Blank casing diameter: 5 in. to 160 lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-Cement 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 63 ft. to 48 ft. GRAVEL PACK INTERVALS: From 63 ft. to 20 ft.

6 GROUT MATERIAL: 3 Bentonite 4 Other Grout Intervals: From 30 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? EAST How many feet? 300

LITHOLOGIC LOG table with columns FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Entries include: 0-15 Top soil & clay, 15-25 White rock & blue clay, 25-30 Large white rock, 30-63 Rock, sand (med) & gravel shale.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-28-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 738 This Water Well Record was completed on (mo/day/yr) 9-20-05 under the business name of Redivac Well Service by (signature) [Signature]