

CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)

(to rectify lacking or incorrect information)

LOCATION OF WATER WELL:	Fraction	Section	Township	Range
County: <u>Phillips</u>	<u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	<u>27</u>	T <u>3</u> S	R <u>18</u> ☐ E ☒ W

Owner: Kampfe, Roger

Location was listed as:

Sec. 27 T 3 S R 18 ☐E ☒W

Fraction: SE SW NE SE

Location changed to:

Sec. 27 T 3 S R 18 ☐E ☒W

Fraction: SE SW NE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: Added Lat.: 39.759805 Long.: -99.330612

Verification method: David Coe from WSP-Parsons Brinckerhoff obtained Latitude and Longitude from terminal head forman using
GPS equipment

initials: DRL date: 05-10-2016

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: PHILLIPS		SE 1/4 SE 1/4 NE 1/4		27		T 3 S		R 18 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
BOX 65 PHILLIPSBURG KS									
2 WATER WELL OWNER:		ROGER KAMPFE							
RR#, St. Address, Box # :		PO BOX 65							
City, State, ZIP Code :		PHILLIPSBURG KS 67661							
		Board of Agriculture, Division of Water Resources							
		Application Number:							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL . 55 . ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 34 . ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 34 . ft. below land surface measured on mo/day/yr 6-27-00							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield 30 . gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter . 10 . in. to . 55 . ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No XX If yes, mo/day/yr sample was sub-							
		mitted							
		Water Well Disinfected? Yes No XX							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . XX . Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter . 5 . in. to . 35 . ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface . 18 . in. weight . 160 . lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass XX PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot XX Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From . 35 . ft. to . 55 . ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From . 30 . ft. to . 55 . ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout XX Bentonite 4 Other									
Grout Intervals: From . 0 . ft. to . 30 . ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 10 SURFACE CLAY									
10 25 SOFT YELLOW CLAY									
25 35 FINE SAND									
35 45 MED SAND									
45 48 LARGE SAND									
48 55 BLUE SHALE									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) . 6-27-00 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. . 444 This Water Well Record was completed on (mo/day/yr) . 6-27-00									
under the business name of ANDY ANDERSON DRILLING by (signature) Andy Anderson									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									

