

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Phillips</u>		<u>SE 1/4 SE 1/4 SW 1/4</u>	<u>26</u>	T <u>30</u> S	R <u>18</u> E <u>40</u>
Distance and direction from nearest town or city street address of well if located within city? <u>695 State Street, Phillipsburg, KS</u>					
2 WATER WELL OWNER: <u>Tom's Korner</u>					
RR#, St. Address, Box # : <u>Thomas Blubaugh</u> City, State, ZIP Code : <u>2518 SW Arrowhead Road Topeka, KS 66614</u>				Board of Agriculture, Division of Water Resources Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>50</u> ft. ELEVATION: <u>1625.43</u>			
		Depth(s) Groundwater Encountered 1 <u>42</u> ft. 2 <u>43.49</u> ft. 3 <u>45.26</u> ft. WELL'S STATIC WATER LEVEL <u>43.49</u> ft. below land surface measured on mo/day/yr <u>05/26/04</u> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well _____			
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes _____ No <u>(No)</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
2 <u>PVC</u>		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded _____
			7 Fiberglass		Threaded <u>X</u>
Blank casing diameter _____ in. to <u>50</u> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.					
Casing height above land surface <u>-6.24</u> in., weight _____ lbs./ft. Wall thickness or gauge No. <u>Sch 40 PVC</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-Cement
2 Brass		4 Galvanized Steel	6 Concrete tile	9 ABS	11 Other (Specify) _____
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 <u>Mill slot</u>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify) _____	ft.
SCREEN-PERFORATED INTERVALS: From <u>30</u> ft. to <u>50</u> ft., From _____ ft. to _____ ft.					
GRAVEL PACK INTERVALS: From <u>28</u> ft. to <u>50</u> ft., From _____ ft. to _____ ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other _____					
Grout intervals: From <u>1</u> ft. to <u>28</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	<u>Last site</u>
Direction from well?				How many feet?	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>0.5</u>	<u>Concrete</u>			
<u>0.5</u>	<u>20</u>	<u>Clay, sand, dry, very fine grained</u>			
<u>20</u>	<u>25</u>	<u>Clay, sand, dry, medium coar, very fine grained</u>			
<u>25</u>	<u>28</u>	<u>Sand, moist, medium coar, fine grained</u>			
<u>28</u>	<u>50</u>	<u>Clay, sand, moist, medium coar, very fine grained</u>			
RECEIVED					
VOBW 5 SEP 24 2004					
BUREAU OF WATER RESOURCES					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>05/24/04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>594</u> This Water Well Record was completed on (mo/day/yr) <u>8/11/04</u> under the business name of <u>Coronado Great Plains, Inc.</u> by (signature) <u>[Signature]</u>					