			WAIL	H WELL	RECORL	) F	orm WW	C-5 K	SA 82a	-1212						
LOCATION OF WATER WELL: PHILLIPS			Fraction	CTrT		Cta	- 1	Section N	lumber		nship Nu			_	lumber	
County:				SW	1/4		1/4	27		<u> </u>	3	S	<u> </u>	18	<b>X</b> /V	<u> </u>
Distance a	ina airection	from nearest town of	or city street a													
2 WATER	R WELL OW	NER: VIR	GIL WHIT	SITT	-											
	Address, Box	(#: RR2	BOX 18A							Boa	ard of Ag	riculture, l	Division	of Wate	er Resou	rces
City, State	, ZIP Code		LLIPS BU							Арј	olication	Number:				
LOCATE	E WELL'S LO	OCATION WITH 4 N BOX:	DEPTH OF Copth(s) Ground	OMPLETI	ED WEL	.L d 1	72 58	ft.	ELEVA	TION:						ft.
т Г	ī		ELL'S STATIC													
I I	1 ;									fter						
-	- NW	NE    Fe	st. Yield 6													
	-		ore Hole Diame													
. w −	<del>- i</del>		ELL WATER 1					ater supp		8 Air cond					. <i></i>	
-	i	i I I	x★ Domestic		Feedlot				•	9 Dewater	U		•		halow)	
-	- SW	SE	2 Irrigation		ndustrial					10 Monitor						
	x I	!     w	as a chemical/						_							
<u> </u>		<del></del>	tted	Dacteriolog	gicai san	iipie sui	omittee t	Departi		ter Well Di			, morday	No X		
5 TYPE C	OF BLANK C	ASING USED:		5 Wroug	ght iron		8 Co	ncrete tile	)	CASI	NG JOIN	NTS: Glue	d.XX.	. Clam	ped	
1 Ste	el	3 RMP (SR)		6 Asbes	stos-Cen	nent	9 Oth	ner (speci	fy below	v)		Weld	ed			
XX PV		4 ABS		7 Fiberg								Threa	aded			}
Blank casi	ng diameter		to 52	ft.,	Dia	<u>.</u>	in.	to		ft., Dia	1		in. to .			ft.
Casing hei	ight above la	and surface	<u> 18</u>	.in., weig	ht	160			lbs./f	ft. Wall thic	kness o	r gauge N	<b>o</b>			
		R PERFORATION N					ХX					stos-ceme				1
1 Ste	el	3 Stainless st	eel	5 Fiberg	glass		8	RMP (SF	₹)		11 Othe	r (specify)				[
2 Bra	ass	4 Galvanized	steel	6 Concr	rete tile		9	ABS				used (op				
SCREEN (	OR PERFOR	RATION OPENINGS	ARE:		5 (	Gauzed	wrappe	d		8 Saw c	ut		11 No	ne (ope	en hole)	
1 Co	ntinuous slo	t XXXMills	slot		6 \	Wire wr	apped			9 Drilled	holes			•		
2 Lo	uvered shutt	er 4 Kev i	punched			Torch c	• •			10 Other	(specify)					
SCREEN-I	PERFORATE	ED INTERVALS:	From	52	ft.	to		7.2								
			From													
C	GRAVEL PA	CK INTERVALS:	From	40	ft.	to		72	ft Fror	n		ft. t	0			.ft.
			From							n						ft.
6 GROUT	MATERIAL	: 1 Neat cerr	nent	2 Cemen						Other						
Grout Inter		m 0 ft.														
What is the		ource of possible con		•						tock pens			bandone			
	ptic tank	4 Lateral li		7	Pit priv	ν				storage		15 C	il well/G	as wel	1	
2 Sewer lines 5 Cess poo						-				izer storage 16 Other (s						
3 Watertight sewer lines 6 Seepage				9 Feedyard						cticide storage						
Direction f	-		- <b>F</b>		,-					ny feet?	3-					
FROM	то		LITHOLOGIC	LOG			FROM				PLI	JGGING I	NTERVA	ALS		
0	5	SURFACE CL														
5	40	HARD YELLO													The second secon	
40	<b>4</b> 5	WHITE ROCK						1								1
45	60	FINE SAND					T								CONTRACT A MINE CONTRACTOR	
60	70	SOFT WHITE	CLAY					1								
70	72	BLUE SHALE														
		2202 212122														
							<u> </u>			alaren eranaren eranar eranak 1.12 mai - Jor		and the second sector of the second				
							<b>—</b> ——	<u> </u>			<del></del>					
						,		<b>+</b>							and the second residence	
							<b>†</b>									
			VE-18-10-11					+								
								+							<del></del>	
							<del> </del>	-				***************************************				-
<b>—</b>							L	l								
_		OR LANDOWNER'S	CERTIFICATI	ION: This	water w	rell was	(4) con:									
1	on (mo/day/	year)	6 <b>-17-</b> 98 444					. and the	his reco	rd is true to	the bes			and b	elief. Kan	sas
Water Wel	Contractor	s License No			This Wa	ter Wel	l Record	was com	pleted	on (mo/da)	(yr) 💃		7.–98			
under the	business na	me of ANDY	ANDERSON	N DRIL	LING			by	/ (signat	ture)	may		na	ers	un	
		pewriter or ball point pen. ent, Bureau of Water, Top												Kansas [	Department	