			٧	VATER WEI	LL RECORD	Form W	WC-5	KSA 8	32a-121	12 ID	No				
1 LOCATIO	N OF WATER		Fraction				Section	n Nun	nber	Tow	nship Nur	nber	Rar	nge Numb	per
County:	Phi	llips	SE	½ S	E ¼ I	NE 1/		27		Τ	3	s	R	18	W
	direction from of Grand A					ed within	city?								
	NELL OWNER					LLC									
_	fress, Box#	-			-					Board	of Agricu	Iture, Div	ision of W	/ater Res	ources
City, State, 2	IP Code	: Phillip	sburg, Ka	ansas											ĺ
3 LOCATE	WELL'S LOC I SECTION BO	ATON WITH	4												
AN "X" IN	SECTION BO	OX:	DEPTH	OF COMPI	LETED WELL		60	ft.	ELEVA	ATION:					,
1															
	NW	NE			ER LEVEL										}
0	i	x _	1	Pump test	data: Well w	ater was			ft.	after		_ hours	oumping		gpm g
M M		- E	Est. Yield		gom: Well w	ater was			ft.	after		hours	pniamuc		apm li
i l		į	Bore Hole D	iameter	10 in. USED AS: Feed lot	to	60		f	t. and		i	n. to		ft.
	sw	· SE	WELL WAT	ER TO BE	USED AS:	5 Public	water sup	ply		8 Air	condition	ing 1	1 Injection	on well	halaw) !
↓	1		1 Don	iestic 3	reed lot	o Oli fiel	d water st	ирріу		9 De	watering	'	2 Other	(Specify	below)
' <u>-</u>	S		,		Industrial										
	· ·		Was a chen	nical/bacter	riological samp	ple subm	itted to De	epartm	ent? Y	'es	No X	If yes	, mo/day	/yr sampl	e was
			submitted								isinfected				
5 TYPE OF	BLANK CAS	ING USED:		5	Wrought Iron	8	Concret	te tile		CASI	NG JOIN	TS: Glue	ed	Clampe	ed
1 Ste	el	3 RMP	(SR)	6	Asbestos-Cer	nent 9	Other (s	specify	below	/)		Wel	ded		
2 PV		4 ABS		7	Fiberglass							Threa	ded	Flus	sh
Blank casing	diameter	6	in. to	30	ft., Dia								in. to		ft.
Casing heigh	ht above land	surface F	lush mou	nt in., w	eight	0.70)3	lb	s./ft. V	Vall thick	kness or o	auge No		SCH. 4	0
	CREEN OR P				•		7 F								
1 Stee	el	3 Stainle	ess steel	5	Fiberglass										
2 Bra	ss	4 Galva	nized steel	6	Concrete tile		9 4	ABS	,		12 None	used (or	en hole)		
SCREEN OF	R PERFORAT						rapped			8 Saw	/ cut		11 No	ne (open	hole)
1 Cor	ntinuous slot	3	Mill slot		6 V	Vire wrap	ped			9 Drill	ed holes				
2 Lou	vered shutter	4	Key punche	d	7 T	orch cut				10 Oth	er (speci	fy)			
SCREEN-PE	ERFORATED	INTERVALS	: From	30	ft. to		60		ft. Fr	rom		ft.	to		ft.
					ft. to										
GR/	AVEL PACK II	NTERVALS:	From	25	ft. to		60		ft. Fr	rom		ft.	to	•••••	ft.
			From										to		ft.
6 GROUT	MATERIAL:	1 Neat	cement	2 Cem	ent grout		3 Bent	onite							
	als From	25	ft to	22 #	From	22	ff to	<u> </u>	1	# Othor	From		ft to		
What is the	nearest source	e of nossible	contaminatio	n·	. 110111		IL. IC	10	Livest	ock pens				d water w	
1					7 Pit	nrivv					•				-
	ver lines		5 Cess po			vage lago				zer stora				cify belov	w
	tertight sewer	lines	6 Seepag		9 Fee		,,,,,			icide sto	-		ано доро	o, 20.0.	"
Direction fro	•		,	- p		,			many		·ago				
FROM	ТО	CODE	LI	THOLOGIC	LOG		FROM	T			PLU	JGGING	INTERVA	ALS	
0	20		lt, light br												
20	27		Ity Sand,												
27	31				fine – coa	rse									
31	37		and, pale			Alm a		-							
37	44.5				h brown,	ine									
44.5	49 50		lay, gray l		med – co	area					~				
50	52		and, gray lay, gray l		meu – co	ai se		-							
52	52.5				med – co	arse		+-							
52.5	60		at Clay, bl					_							
				3.											
									_						
							7								
7 CONTRA	ACTOR'S OR	LANDOWNE	R'S CERTIF	ICATION:	This water we	ll was (1) construc	ted. (2	2) reco	nstructed	d, or (3) pl	ugged un	der my ju	risdiction	and was
—	on (mo/day/yr)			11/02/06		100	_					-		belief. k	
	Contractor's L				31						s comple	-	_		15/06
1	usiness name		Genter		Services II					cota wa	Comple	ieu on (m	o/uay/yr)		
INSTR	UCTIONS: PI	ease fill in blan	ks and circle th	ne correct ar	swers. Send t	bree copi	es to Kans	as Der	artmen	t of Healt	th and Fov	ironment	Bureau of	Water	00 S W
lacken	n St. Ste 420	Toneka Kans	20 66612 136	7 Telephor	013-206-55	45 Sond	one to M/	ATED I	MELLO	NAMED	and retain	one for vo	ir records	1000	