GSI JOB	#067405												IM-36
				ATER WEL	L RECORD	Form V				ID No			
	N OF WATER				_			n Numbe	1	ownship Numbe		Range Nun	
County:	Phil	lips	SW	½ SE	1/4	NE ;	4	27	Т	3	S F	₹ <u>18</u>	W
Distance and	direction from	nearest tow	vn or city stree	t address o	of well if loc	ated within	city?						
						LLIC							
	WELL OWNER			ources i	erminai	i, LLC			_				
	fress, Box #									ard of Agricultur	•	of Water Re	esources
City, State, Z	IP Code	· Phillip	sburg, Ka	nsas					Ap	plication Number	er:		
3 AN "X" IN	SECTION BO	ATON WITH DX:	4 DEPTH	OF COMPL	ETED WEI	L1.	50	ft. EL	EVATIO	N:			
<b>A</b>	1		Depth(s) Gro	oundwater F	ncountere	ed 1		'''	ft. 2	N:	ft. 3		ft.
i	-	- 1	1 ' '					<del>-</del>		measured on m			
	NW	,								h			anm
₩ ₩		X	Fet Viold	ump tost u	nm: Well	l water was			ft after		ours pumpi	ng	gpm gpm
-			Pore Hole D	iamatar	8 25 i	n to	50		ft and	' 4	in to		9p/11
	sw	SE	WELL WAT	ER TO BE I	USED AS:	5 Public	water sur	vlac	IL ain	d Air conditioning Dewatering	11. to	ection well	ft.
1	· ·	i	1 Dom	estic 3 F	eed lot	6 Oil fie	ld water si	upply	9	Dewatering	12 Ot	ner (Specify	y below)
† <u>L</u>	1	!	2 Irriga	ation 4 In	ndustrial	7 Lawn	and garde	n (dome	estic) 10	) Monitoring we			
	S									No X			
			submitted			Jan 11			-	ell Disinfected?	-		
	BLANK CAS				Vrought Iro					ASING JOINTS	Glued	Clam	ped
1 Ste	el	3 RMP	(SR)	6 A	Asbestos-C	ement 9	Other (s	specify b	elow)		Welded		
2 PVC		4 ABS		7 F	iberglass						Threaded	Flu	ısh
Blank casing	diameter	2	in. to	35	ft., Dia		in. to	,	ft.,	Dia	in. t	 o	ft.
Casing heigh	ht above land	surface	36	in., we	eight	0.7	03	lbs.	/ft. Wall t	hickness or gau	ge No.	SCH.	40
	CREEN OR PI						7 F	PVC		10 Asbesto	s-cement		
1 Stee	el	3 Stainl	ess steel	5 F	Fiberglass		8 F	RMP (SR	3)	11 Other (s			
2 Bras	ss	4 Galva	inized steel	6 (	Concrete til	le	9 A	ABS `	,	12 None us			
SCREEN OF	R PERFORAT	ION OPENII	NGS ARE:		5	Gauzed v	vrapped		8 \$	Saw cut	11	None (ope	n hole)
1 Con	ntinuous slot	3	Mill slot		6	Wire wrap	ped			Orilled holes			
2 Lou	vered shutter	4				Torch cut			10 (	Other (specify)			
SCREEN-PE	ERFORATED	INTERVALS	: From	35	ft. to		50	f	t. From		ft. to		ft.
			From		ft. to			ff	t. From		ft. to		ft.
GR/	AVEL PACK IN	NTERVALS:	From	32.5	ft. to		50	f	t. From		ft. to		ft.
			From		ft. to	)							ft.
6 GROUT	MATERIAL:	1 Neat	cement	2 Ceme	ent grout		3 Bent	onite	4 Ot	her			
Grout Interva	als From	33	ft. to	31 ft.	From	31	ft. to		1	ft. From	ſ	t. to	ft.
What is the	nearest source	e of possible	contamination	n:	••			10 Li	vestock p	ens	14 Abando	ned water	well
	otic tank		4 Lateral I		7 P	it privy		11 Ft	uel storag	je	15 Oil well	/ Gas well	
2 Sev	wer lines		5 Cess po	ol	8 S	ewage lag	oon	12 F	ertilizer st	torage	16 Other (	specify belo	ow)
3 Wa	tertight sewer	lines	6 Seepag	e pit	9 F	eedyard		13 In	secticide	storage			
Direction fro									any feet?				
FROM	TO	CODE		THOLOGIC	LOG		FROM	ТО	_	PLUG	GING INTE	RVALS	
0 20	20 27.5		ilt, light br		low bro			<del> </del>					
27.5	35		andy Silt, ilt, brown	ngnt yei	IOW DIO	WII		<del> </del>	-				
35	37.5		ilty Sand,	light hre	own				-				
37.5	47		lay, light			tiff		·	-	V		77.1	
47	47.5		lay, gray										
47.5	50		hale										
·			······································										
								-					
									_				
7 CONTR	ACTOR'S OP		FR'S CERTIE	ICATION:	This water	well was fr	1) construc	ted (2)	reconstru	cted, or (3) plug	ned under m	v jurisdictio	n and was
				10/26/06		_		_					
	on (mo/day/yr)									the best of my			Kansas I/15/06
F .	Contractor's L		Gaataa	دد hnical S		Inc				was		//yr)	13/00
under the b	UCTIONS: Ple	ot ease fill in blan	nks and circle th	ne correct an	swers Sen	d three con	ies to Kans	as Denar	tment of t	lealth and Environ	ment Burea	of Water	1000 S W
Jackso	on St., Ste. 420,	Topeka, Kan	sas 66612-136	7. Telephone	e: 913-296-	-5545. Sen	d one to W	ATER WE	ELL OWN	ER and retain one	for our reco	ords.	

SEC