1 LOCAT	ION OF WATE	R WELL:					Se	ction Number	er Tow	nship Numbe	r	Range Number		er	
County:	Phi	illips	NW	1/4	SW	% NW	1/4	26	т	3	s	R	18	W	
Distance a	and direction fro	m nearest					ithin city?			-				-	
	. 95' S of Sp														
	R WELL OWNE					rminal, LL(2								
RR#, St. Address, Box # : 1589 N. Highway 183 Board of Agriculture, Di													ter Resc	ources	
City, State	, ZIP Code	: Phil	lipsburg, l		Application Number:										
3 LOCA	TE WELL'S LOC	CATON W	ITH 4 DEDT	. 05 001	40. 5	ED WELL	E E 20	27* 6 5	EVATION.		1046	96 /EN	A\		
AN "X"	IN SECTION B	OX:	JDEP11			ED WELL									0
T I								42 ft. 2 ft. 3 ft. ft. below land surface measured on mo/day/yr							Ŧ
ļ.	xNW	NE	WELL'S S												OFFICE
1	^		_			a: Well water								gpm	USE
£ W	- 		E Est. Yield			n: Well water	was		ft. after	h	ours p	umping		gpm i	m
1	į			Diameter		6 in. to		2.5	ft. and		in.	to		ft.	SIN N
	sw	SE				ED AS: 5 Pu	ublic water	supply	8 Air	conditioning	11	Injection	well		≺
↓ L		1	1 Do	omestic	3 Fee	ed lot 6 Oi	il field wate	r supply	9 De	watering	12	Other (Specify t	Jelow)	
•	S		i			ustrial 7 La					-				
			I		cteriolo	gical sample s	ubmitted to							was	
1			submitted							Disinfected? Y			No X		
	OF BLANK CAS					ought Iron				ING JOINTS:	Glued	j	Clamper	d t	
1 8	Steel		MP (SR)			estos-Cement					Weld				
2 F	VC	4 AE	3S		7 Fibe	erglass , Dia 0.2		Nylon Tu	bing		Thread	led	Flus	h	
Blank cas	ing diameter	0.25	in. to	4.5	ft.	, Dia 0.2	25 in	. to 27	ft., Dia	0.25		in. to	36	ft.	
	ight above land	surface	Flush	in.	, weigh	nt 0.25	in. O.D	lbs./	ft. Wall thic	kness or gaug	je No.				
	SCREEN OR F				_					10 Asbestos					
1 8	Steel	3 St	ainless steel		5 Fibe	erglass	- 8	RMP (SR	()	11 Other (sp	ecify)				
2 E	Brass	4 G	alvanized steel		6 Cor	ncrete tile	9	ABS		12 None use	d (ope	n hole)			
SCREEN	OR PERFORA	TION OPE	NINGS ARE:			_	ed wrapped		8 Sav	v cut		11 None	(open h	iole)	
1 0	Continuous slot		3 Mill slot			6 Wire	wrapped			ed holes					
2 L	ouvered shutte	r	4 Key punch			7 Torch			10 Oth	er (specify)		. 			
SCREEN	-PERFORATED	INTERV	ALS: From	4.		ft. to	5.5	ft	From	27	ft. t	0	28	ft.	
(Screen	diameter = 1 i	n.)	From		6	ft. to	37		. From		ft. t	0		ft.	20
G	RAVEL PACK	INTERVAL	S: From	3.	.5	ft. to	6.5	ft	From	26	ft. t	0	29	ft.	
			From	3	5	ft. to			. From		ft. t	0		ft.	
6 GROU	IT MATERIAL:	1 N	eat cement	2 C	ement	grout	3 B	entonite	4 Other						
Grout Inte	ervals From	42.5	ft. to 38	ft. Fi	rom	35 ft. to	29	ft. From	26	ft. to 6.5	ft.	From 3.	5 ft. to	1 ft.	
	ne nearest source				_					· · · · · · · · · · · · · · · · · · ·					
1 5	Septic tank		4 Latera	al lines		7 Pit privy		11 Fuel storage 15 Oil well/ Gas well					well		
2 5	Sewer lines		5 Cess	pool		8 Sewage	lagoon	12 Fe	rtilizer stora	ge 1	e 16 Other (specify below)				
3 V	Vatertight sewe	r lines	6 Seepa	age pit		9 Feedyar	ď	13 Ins	secticide sto	rage					
Direction	from well?							How ma	ny feet?						
FROM	ТО	CODE		LITHOLO	GIC LC)G	FROM	и то		LITH	OLOG	IC LOG			
0	2.5	 	No Recov					25.5	0:14						6
2.5	4.5	OL/OH	Organic S				35	35.5	Silt, ye	llow-brown					OE C
			Silt, yellow			yellow- les, and root			Sand	very pale br		uaru fina	to fine		
4.5	27.3	ML	tubes visible				35.5	42.5			OWII,	very inte	to mie		
27.3	27.5	SP				grained sand		12.0	gramea						1
27.5	31	ML				ow, little sand									1
31	31.2	SP	Sand, yello						*Note:						ŀ
31.2	31.4	CL	Clay, yello						Three	Three vapor monitoring points with					
31.4	32.5	SP	Sand, yello						well screen are set in one borehole.					ĺ	
32.5	33.5	ML	Silt, light y				<u> </u>								
22.5	25			yellow-	brown	, fine grained	i,								l
33.5	35	SP	some silt	(FIG. 4 = 1 = 1	N1		- (4)								
LUCONT	RACTOR'S OF	(LANDOV	VNER'S CERT			s water well wa								i i	ĺ
	d on (mo/day/yr			11/09/					//	best of my kr	//				l
Water We	ell Contractor's	License N			531				//	s completed	n (mo	/day/yr)	12/11	1/08	
	business name					vices Inc.		by (signatur	re) / /2/	1 /6	2				l
INS	FRUCTIONS: PI	lease fill in I	blanks and circle	the correc	t answe	ers. Send three	copies to Ka	ansas Departi	ment of Healt	h and Environm	nent, Bu	ureau of Wa	ater, 1000)SW	