

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <b>Phillips</b>	<b>NW</b> ¼ <b>SW</b> ¼ <b>NW</b> ¼	<b>26</b>	T <b>3</b> S	R <b>18</b> <b>W</b>

Distance and direction from nearest town or city street address of well if located within city?  
**Near intersection of Walnut St. and Cable Rd. - Phillipsburg**

2 WATER WELL OWNER: **Coffeyville Resources Terminal, LLC**  
 RR#, St. Address, Box # : **1589 N. Highway 183** Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : **Phillipsburg, KS 67661** Application Number: \_\_\_\_\_

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL **5.5, 31, 42\*** ft. ELEVATION: **1951.89 (FM)**  
 Depth(s) Groundwater Encountered 1 **48.5** ft. 2 \_\_\_\_\_ ft. 3 \_\_\_\_\_ ft.  
 WELL'S STATIC WATER LEVEL \_\_\_\_\_ ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield \_\_\_\_\_ gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Bore Hole Diameter **6** in. to **49** ft. and \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 **Other** (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well **Vapor Monitoring**  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No **X** If yes, mo/day/yr sample was submitted \_\_\_\_\_  
 Water Well Disinfected? Yes \_\_\_\_\_ No **X**

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
2 PVC	4 ABS	6 Asbestos-Cement	9 <b>Other</b> (specify below)	Welded _____
		7 Fiberglass	<b>Nylon Tubing</b>	<b>Threaded</b> _____ <b>Flush</b> _____

Blank casing diameter **0.25** in. to **4.5** ft., Dia **0.25** in. to **30** ft., Dia **0.25** in. to **41** ft.  
 Casing height above land surface **Flush** in., weight **0.25 in. O.D.** lbs./ft. Wall thickness or gauge No. \_\_\_\_\_  
 TYPE OF SCREEN OR PERFORATION MATERIAL: **7 PVC** 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) \_\_\_\_\_  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) \_\_\_\_\_  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot **3 Mill slot** 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 SCREEN-PERFORATED INTERVALS: From **4.5** ft. to **5.5** ft. From **30** ft. to **31** ft.  
 (Screen diameter = 1 in.) From **41** ft. to **42** ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 GRAVEL PACK INTERVALS: From **3.5** ft. to **6.5** ft. From **29** ft. to **32** ft.  
 From **40** ft. to **43** ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout **3 Bentonite** 4 Other \_\_\_\_\_  
 Grout Intervals From **49** ft. to **43** ft. From **40** ft. to **32** ft. From **29** ft. to **6.5** ft. From **3.5** ft. to **1** ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) \_\_\_\_\_  
 13 Insecticide storage \_\_\_\_\_  
 Direction from well? \_\_\_\_\_ How many feet? \_\_\_\_\_

FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	0.2		Topsoil			
0.2	3	CL	Clay, dark brown, some silt	45	47	Sand with Silt, pale brown, fine grained, little clay
3	39.5	ML	Silt, yellow-brown to dark brown, little clay	47	49	Sand, light yellow-brown to gray, fine to medium grained, fat clay layer at 48.7'
39.5	40	SP-SM	Sand with Silt, yellow-brown			
40	41.5	CH	Clay with Sand, dark yellow-brown, little silt			*Note: Three vapor monitoring points with well screen are set in one borehole.
41.5	42.5	ML	Silt, yellow-brown			
42.5	43.5	MH	Silt, dark yellow-brown, some clay			
43.5	44.8	SP-SM	Sand with Silt, yellow-brown			
44.8	45	SP	Sand, pale brown, fine to medium grained			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1) constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) **11/06/08** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **531** This Water Well Record was completed on (mo/day/yr) **12/11/08** under the business name of **Geotechnical Services Inc.** by (signature) \_\_\_\_\_

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

SEC