1 LOCATIO	N OF WATER	Fraction				Sec	tion Number	Town	nship Numbe	r	Range	Number			
County:	Phil	llips	sw	3 SW	V 1/4	NE	1/4	22	Т	3	s	R 1	18 [W	
Distance and	d direction from	n nearest	town or city stre	et address o	f well if										
West of P	ond 7, Cof	feyville	Refinery - P	hillipsbur	g										
			eyville Res		ermin	al, LLC									
RR#, St. Add	dress, Box #	: 158	N. Highwa	ay 183					Board	of Agriculture	e, Divisior	n of Wate	r Resour	ces	
City, State, ZIP Code : Phillipsburg, KS 67661 Application Number:															
LOCATE	3 LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 28 ft. ELEVATION:														
AN "X" IN	SECTION BO	OX:	DEPTH												
1		-						<u>0</u> ft.						.ft. 꾺	
	NW NE WELL'S STATIC WATER LEVEL ft. below land									asured on mo	o/day/yr			ft. OFFICE	
Pump test data: Well water was ft. after													pm C		
	X		E Est. Yield	g	pm: V	Vell water w	/as	f	t. after	h	ours pum	ping	q	ma Si	
7	W Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 6.25 in. to 28 ft. and in. to												ft.		
	Bore Hole Diameter 6.25 in to 28 ft. and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											⁄ell	· `` \$		
	i	i	1 Dor	nestic 3 F	eed lot	6 Oil 1	field water	supply	9 Dev	watering	12	Other (Sp	ecify bel	ow)	
			1					den (domestic							
	S		1												
	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X														
E TYPE OF	T DI ANIX CAS	INC LICE		5 V	Venuebt	lean	9 Cana								
	F BLANK CAS					Iron		rete tile		NG JOHN 15:			amped .		
1 Ste		_	MP (SR)	6 A	sbestos	s-Cement	9 Other	(specify belo	w)		Welded				
2 PV	0	4 AE	S	7 F	iberglas	SS					Threaded		Flush		
Blank casing	g diameter	2	in. to	13	ft., Dia		in.	to	ft., Dia					ft.	
Casing heigi	ht above land	surface	36	in we	iaht	0.	703	lbs./ft.		ness or gaug				.	
			TION MATERIA	L:			7	PVC							
1 Ste			ainless steel	5 F	iheralas	:e	_								
2 Bra			Ivanized steel	6 0	Concrete	tile	9	RMP (SR) ABS		12 None use	ed (open h	hole)			
			NINGS ARE:					7.20		cut			open hole	e)	
	ntinuous slot		3 Mill slot			6 Wire wr			9 Drille			(.		'	
	vered shutter		4 Key punche	-d		7 Torch c				er (specify)					
	ERFORATED			13				f+ [
SUREEN-PE	EKPOKATED	INTERVA						ft. F		• • • • • • • • • • • • • • • • • • • •	11. 10			11.	
			From .		π.	10		ft. f	-rom 		π. το			·™ ス	
GR/	AVEL PACK I	NTERVAL		11				ft. F						ft.	
								ft. F			ft. to			ft.	
6 GROUT	MATERIAL:	1 N	eat cement	2 Ceme	nt grout	t	3 Bei	ntonite	4 Other						
Grout Interv	als From	1	ft. to	11 ft.	From		ft.	to	ft.	From		ft. to		ft.	
			ble contamination						tock pens			doned wat			
1 Ser	otic tank		4 Lateral	lines	7	Pit privy		11 Fuel	storage	1	5 Oil we	II/ Gas w	ell		
1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lag								12 Fertil				(specify b			
3 Wa	tertight sewer	lines	6 Seepag	ge pit	9	Feedyard	•	13 Insec	ticide stor				,		
Direction fro	•			, - (,		How many							
FROM	ТО	CODE	LI	THOLOGIC	LOG		FROM	ТО		PLUGG	ING INTE	RVALS			
0.0	2.0		Clayey Silt												
2.0	7.0		Clayey Silt												
7.0	20.0	МН	Clayey Silt	, dark gray	brown									─ (
			Silt, gray bro	own to yello	w brov	vn, little									
20.0	25.0	МН	sand and clay												
25.0	28.0	SM	Silty Sand,	gray brow	n										
							ļ								
7 CONTRA	ACTOR'S OR	LANDOV	NER'S CERTIF		his wate	er well was	(1) constru	cted, (2) reco	onstructed,	or (3) plugge	d under n	ny jurisdic	tion and	was	
completed c	on (mo/day/yr)			07/31/09			and t	his record is t	rue to the	best of my ku	owledge	and belie	ef. Kansa	as	
).		1		This	Water Well R	ecord	omnlet 1	n (mo/da	v/vr)	10/14/0	9	
	usiness name		Geoteo	hnical S		s Inc.		y (signature)							
INSTRI	UCTIONS:. Ple	ase fill in I	planks and circle t	he correct ans	wers. S	end three co	pies to Kan	sas Departme	nt of Lealth	and Environm	ent. Bures	au of Wate	er, 1000 S	w	
Jackso	n St., Ste. 420,	Topeka, K	ansas 66612-136	7. Telephone	: 913-29	6-5545. Se	nd one to V	VATER WELL	OWNER ar	nd retain one fo	or your rec	ords.			