CATION OF WATER WELL:	WATER WELL	1	WC-5 KSA 82a Section Number	Township N	di umbar	Denne	Number
18 11	Fraction	4 SEN		T 3	(8)	R 18	•
v: Phillips use and direction from nearest town	SE W SE			1	191	<u> </u>	
, n	•	MAN D KOSTACI ANNIHI	City				
	ferery		· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·
ATER WELL OWNER: Farmland	Petroleum Retinik	Division					
St. Address, Box # : Hury 183	311, 15.0° par 1908 ~	1				Division of Wi	ster Resource
State, ZIP Code : ドバルのS.b	our KS 67661	<u> </u>		Application	n Number:		
CATE WELL'S LOCATION WITH 4	DEPTH OF COMPLET	ED WELL	tt. ELEVA	EPPI. :NOIT	.Q		
"X" IN SECTION BOX:	Depth(s) Groundwater End	ountered 121		2 , <i>,</i>	ft. 3	l	
1	WELL'S STATIC WATER						
NW NE	Pump test data	: Well water was		iter	. hours pu	mping	ģķ n
	Est. Yield gpr	n: Well water was	, tt. a	fter	. hours pu	mping	· · · · · · · · · · · · · · · · · · ·
	Bore Hole Diameter. 24	1					
۱ <u>۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ ۱ </u>	WELL WATER TO BE US			8 Air conditionin	•	Injection well	
PM SF	1 Domestic 3	feedlot 6 Oil fi	eki water supply	9 Dewatering	a ¹²	Other (Specif	y below)
37	2 Irrigation 4	Industrial 7 Lawr	and garden only	0 Monitoring we		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Was a chemical/bacteriolo	dical sample submitte					
S r	mitted		Wa	iter Well Disinfec			<u> </u>
PE OF BLANK CASING USED:	5 Wrou	-	Concrete tile			d Cla	
1 Steel 3 RMP (SR) 6 Asbe	T	Other (specify below	•		led	
PVC 4 ABS	7 Fiber	diass				adad +	
casing diameter	n. to	Dia	.in. to	ft., Dla		in. to	
g height above land surface	$\mathcal{L}_{c}, \mathcal{L}_{c}, \mathcal{L}_{c}$, weight	ht	. <u></u> ibs	/ft. Wall thickness	or gauge N	6. Schedi	75.46
OF SCREEN OR PERFORATION			7 ₽VC	10 A	sbestos-cem	ent	
1 Steel 3 Stainless	steel 5 Fiber	plass	8 RMP (\$A)	11 0	ther (specify)		
2 Brass 4 Galvaniza	ed steel 6 Cond	ete tile	9 ABS	12 N	oue need (ot		
EN OR PERFORATION OPENING	38 ARE:	5 Gauzed wret	pped	B Saw cut		11 None (6	open hole)
1 Continuous slot (3 Mil	000. tols II	5 Wire wrappe	d	9 Drilled holes			
2 Louvered shutter 4 Ke	y punched	7 Torch cut		10 Other (spec	ffy)		
EEN-PERFORATED INTERVALS:	From	ft. to	2	кп , , , ,	1 1. '	to.	
	From	ft. to		m	, , , , , , f t. '	to	ار د د د د د د د و -
GRAVEL PACK INTERVALS:	From						
	From	1 77 77	ft., Fro		<u> </u>	to	
ROUT MATERIAL: 1 Neat C	ement 2 Çeme	nt grout 4% best. (3	Bentonite 4	Other . cerren	tigropt		
t Intervals: From 34	tt. to .22(3) tt.,	From . 22	tı. to. 🙉	(P.). ft., From	A ,	ft. to 547	おたパソン!
t is the nearest source of possible t	contamination:		10 Live	stock pens	14 #	ADBLIDGUES AN	Military Avenue
1 Septic tank 4 Laters	d lines	Pit privy	11)Fuel	_		XI well/Gas v	
2 Sewer lines 5 Cess	pool	Sewage lagoon		ilzer storage	_	Other (specify	•
3 Watertight sewer lines 6 Seepa	age pit	Feedyard		cticide storage		, . ,	
tion from well?				any feet?	BUIDAINA	INTEDI/AL &	 -
OM TO L	LITHOLOGIC LOG	<u>F</u> !	ROM TO		PLUGUING	INTERVALS	
	<u> </u>	<u> </u>					
0 41 1 silty ch	1	1					
0 41 silty ch							
O 41 Silty ch							
O 41 Silty cd							
O 41 Silty cd							
O 41 Silty cd							
O 41 Silty cd							
O 47 Silty cd							
O 47 Silty a							
O 47 Silty cd							
O 47 Silty cd							
O 41 Silty cd							
O 41 Silty cd							
O 41 Silty ch							
	R'S CERTIFICATION: Th	s water well was	constructed, (2) re-	constructed, or (3	3) plugged u	nder my jurie	diction and v
ONTRACTOR'S OR LANDOWNER Ideted on (mo/day/year) Color Well Contractor's License No	\(\(\mathrea{1}\) \(\mathrea{1}\)	1			LIBBO OF THE P	(

ider the business name of