

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No. [REDACTED]

1 LOCATION OF WATER WELL:
 County: Norton Fraction NE 1/4 NW 1/4 1/4 Section Number 18 Township Number T 3 S Range Number R 22 E/W
 Distance and direction from nearest town or city street address of well if located within city?
2 East 2 1/2 South of Norton
Global Positioning Systems (decimal degrees, min. of 4 digits)
 Latitude: _____
 Longitude: _____
 Elevation: _____
 Datum: _____
 Data Collection Method: _____

2 WATER WELL OWNER: Robert Paul
 RR#, St. Address, Box # : 18081 100rd. Box 117
 City, State, ZIP Code : Smith Center, KS

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:
 N

--NW--			--NE--
--SW--			--SE--

 E
 S

4 DEPTH OF COMPLETED WELL 230 ft.
 Depth(s) Groundwater Encountered (1) 170 ft. (2) ft. (3) ft.
 WELL'S STATIC WATER LEVEL 150 ft. below land surface measured on mo/day/yr. 8-16-09
 Pump test data: Well water was 170 ft. after 3 hours pumping 8 gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr
 Sample was submitted Water well disinfected? Yes No

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued Clamped
 PVC 4 ABS 7 Fiberglass Welded
 Blank casing diameter 5 in. to 190 ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface 3 feet in., weight lbs./ft. Wall thickness or gauge No. 200 PSI
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot Mill slot 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 190 ft. to 230 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 20 ft. to 230 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grout Intervals: From 6 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy Livestock pens 13 Insecticide Storage 16 Other (specify below)
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil wll/gas well
 Direction from well? E.g.s.t. How many feet? 50

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Black dirt			
8	30	clay			
30	150	chalky clay			
150	170	chalky clay, Fine sand			
170	190	Fine sand			
190	230	Medium sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-15-09 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 256 This Water Well Recorded was completed on (mo/day/year) Under the business name of Gallentine Well Service by (signature) Doey Gallentine

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.