WATER WELL RECORD	Form WWC-5	Division of Water Resources A	рр. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township N	
County: Norton	4SE 4SE 4SE 4	8 IT 3	S R 22 DE W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If a	Latitude:		
		Longitude:	
4 miles east, 3 miles	south of Norton	Datum: WGS 84, NAD 8	
2 WATER WELL OWNER: (Cala Hage)		Collection Method:	
2 WATER WELL OWNER: Crain Hager RR#, Street Address, Box #: 12313 Rd; E3		GPS unit (Make/Model:)	
City, State, ZIP Code : Norton, 145 67654		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
	102,713	Est. Accuracy:	a, ∐ 5-15 m, ∐ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 160			
SECTION BOX: Depth(s) Groundwater Encountered (1)			
Pump test data: Well water wasft. after			
	The street of th		
WNW NE EST. YIELD 7.2			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SWSE			
Trigotion Industrial Domestic-lawn & garden Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
1 mile Water well disinfected? ⊠ Yes □ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface. 34 in., Weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 120 ft. to 160 ft., From ft. to ft.			
	From ft. to		
GRAVEL PACK INTERVALS: From 7.5 ft. to 1.60 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
Grout Intervals: From			
What is the nearest source of possible contamination:			
Septic tank Lateral I	lines Pit privy Livestock p		Other (specify below)
☐ Watertight sewer lines ☐ Seepage		e Abandoned water well orage Oil well/gas well	Draw
Direction from well		from well 15.0. 49.69.5	**···
FROM TO LITHOLO			PLUGGING INTERVALS
O 8 Topsor			COLIO ETILIKYIDO
8 30 clay			
30 70 Ton clas, wh	1420/04		
	oft sandstone		
90 120 soldsand whom.	Fire sand		
120 160 Soft sand stone			
medien sand	m)a		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year)			
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)			
under the business name of Gallentine Well Service by (signature) Loca July			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.	•		112 1
			nim