1 LOCATION OF W									A Repositor
County: Norton	MIER WELL.	Fraction NW 1/4	NE ¼	NE ¼	ection Number	Township I	S		Number
	ion from nearest town	2				T 3	3	R 2	3 EV
309 S. 2nd St.,		or city street ad	Gress or well if lo	Cated Within Cit	y r				
					· · · · · · · · · · · · · · · · · · ·				
	OWNER: Kansas De		Transportatio	n					_
RR#, St. Address, E						Board of Agri		on of Wate	er Resource
City, State, ZIP Cod		ansas 67654				Application N	umber:		
3 LOCATE WELL'S	LOCATION 4	DEPTH OF COM	IPLETED WELL.		ft. ELEV	ATION:	22	66.74	
WITH AN "X" IN	N De	epth(s) Groundwa	ater Encountered	l 1	ft.	2	ft. 3	.	
T			VATER LEVEL .						
1 1 !	^		est data: Well w						
NW -	+- NE	•	. gpm: Well w				•		-
			gpm. vven w er8in.						
₩ W					•				
-			BE USED AS:		• • •	8 Air condition	•	njection we	
sw-	se	1 Domestic	3 Feedlot			9 Dewatering			ify below)
3,1		2 Irrigation	4 Industrial	7 Lawn and	garden only	Monitoring w	all		
♦			acteriological sar	mple submitted					_
	S su	ubmitted			Wat	ter Well Disinfed	tea? Yes		6 √
5 TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Cond	rete tile	CASING J	DINTS: Glued	C	amped
1 Steel	3 RMP (SR)	6	Asbestos-Ceme		r (specify below				
PVC	4 ABS	7	Fiberglass				Threa	ded. 🗸 .	
	er ir	n. to 28.	ft. Dia	in.	to	ft. Dia		in. to	
	land surface								
	OR PERFORATION M		., woight	⊘ P			sbestos-ceme		4
			C:basslass	•					
1 Steel	3 Stainless sta		Fiberglass		MP (SR)	11 0			
2 Brass	4 Galvanized		Concrete tile	9 A			one used (ope		
	DRATION OPENINGS			uzed wrapped				11 None	open hole)
1 Continuous				ire wrapped		9 Drilled holes			
2 Louvered sl	nutter 4 Key	punched	7 T o	rch cut		10 Other (speci	fy)	.	<i>.</i>
							• -		
SCREEN-PERFORA	TED INTERVALS:	From	28ft. to	43.	ft., Fro	om	ft.	to	
		From	ft. to		ft., Fro	mc		to	· · · · · · · · · · · · · · · · · · ·
SCREEN-PERFORA		From	28ft. to ft. to 26ft. to		ft., Fro	mc		to	· · · · · · · · · · · · · · · · · · ·
SCREEN-PERFORA	ACK INTERVALS:	From	ft. to	43.	ft, Fro	m		to	
SCREEN-PERFORA GRAVEL P	ACK INTERVALS:	From			ft, Fro	m		to to	
GRAVEL P	ACK INTERVALS:	From	26 ft. to ft. to ft. to	3)Ben	ft., Fro ft., Fro ft., Fro tonite 4	om	ft.	to to	
SCREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fr	ACK INTERVALS: AL: 1 Neat cen om	From	26 ft. to ft. to ft. to	3)Ben	ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro tonite 4	omomomomomomomom	fL	to	
GRAVEL P GRAVEL P GRAVEL F GRAVEL F GRAVEL F GRAVEL F What is the nearest	AL: 1 Neat cer om 0 ft. source of possible co	From	ft. to	3Ben	ft, Froft, Froft, Froft, Froft, Froft tonite 4 to26	omoom	ft. :ft. :ft. :	to	rater well
SCREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fr	ACK INTERVALS: AL: 1 Neat cen om	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy		ft, Froft, Froft, Froft, Froft, Froft to26	omomomomomomomomom	ft. :ft. :ft. :ft. :ft. :ft. :	to	vater well
GRAVEL P GRAVEL P GRAVEL F GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines	ACK INTERVALS: AL: 1 Neat cen om	From	ft. to 26ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well veli y below)
GRAVEL P	ACK INTERVALS: AL: 1 Neat cen om	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft to	Other	14 Ab	to	vater well
GRAVEL P GRAVEL	ACK INTERVALS: AL: 1 Neat cer om 0 ft. source of possible co 4 Lateral I 5 Cess po wer lines 6 Seepage South	From	ft. to 26ft. to Cement grout ft., From Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well veli y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ACK INTERVALS: AL: 1 Neat cer om 0 ft. source of possible co 4 Lateral I 5 Cess po wer lines 6 Seepage South	From	ft. to 26ft. to Cement grout ft., From Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft to	Other	14 Ab	to	vater well veli y below)
GRAVEL P GRAVEL	ACK INTERVALS: AL: 1 Neat cer om 0 ft. source of possible co 4 Lateral I 5 Cess po wer lines 6 Seepage South	From	ft. to 26ft. to Cement grout ft., From Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well veli y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ACK INTERVALS: 1 Neat cen om	From	ft. to 26	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well veli y below)
GRAVEL P GRAVEL	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible co 4 Lateral I 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no	From	ft. to 26	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well veli y below)
GRAVEL F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28	ACK INTERVALS: AL: 1 Neat cerom 0 ft. source of possible conductor of Lateral I source of Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. m	From	ft. to 26	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28	ACK INTERVALS: AL: 1 Neat cerom 0 ft. source of possible conductor of Lateral I source of Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. m	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P GRA	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P GRA	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P GRA	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 Ab	to	vater well vell y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft ft ft, Froft, Froft, Froft ft ft	om	14 AL 15 Oi 16 Ot FLUGGING IN	to	vater well well y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft ft ft, Froft ft	om	ft.	to	vater well well y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 9 9 28 28 37	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible could be a lateral later	From	Cement grout 7 Pit privy 8 Sewage 9 Feedyard	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 AL 15 OI 16 OX FE PLUGGING IN 4 00331599 , F	to	vater well well y below)
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37 37 43	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible co 4 Lateral is 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. no Clay, v. silty, v. Clay, v. silty, sai	From	7 Pit privy 8 Sewage 9 Feedyard OG Wn Dark Brown d, Brown	3Ben 10 ft	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	14 At 15 Oi 16 Ot Fr. 15 Oi 16	to	vater well well y below) pasin
GRAVEL P SPAN STATE AND A TO	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible con 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. no Clay, v. silty, v. Clay, v. silty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, v. clay,	From	ft. to 26 ft. to 26 ft. to Cement grout 7 Pit privy 8 Sewage 9 Feedyard CG Wn Dark Brown d, Brown	3 Ben 10 ft lagoon d	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	ft f	ft. to	vater well well y below) pasin
GRAVEL F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37 37 43	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible co 4 Lateral is 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. no Clay, v. silty, v. Clay, v. silty, sai	From	ft. to 26 ft. to 26 ft. to Cement grout 7 Pit privy 8 Sewage 9 Feedyard CG Wn Dark Brown d, Brown	3 Ben 10 ft lagoon d	ft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft, Froft 4 to26	Other	ft f	ft. to	vater well well y below) pasin
GRAVEL P SAMPLE S GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37 37 43	ACK INTERVALS: 1 Neat cerom 0 ft. source of possible con 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. no Clay, v. silty, v. Clay, v. silty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, sailty, v. Clay, v. silty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, v. Clay, v. silty, v. clay,	From From From Prom Prom Prom Prom Prom Prom Prom P	ft. to 26 ft. to 26 ft. to Cement grout 7 Pit privy 8 Sewage 1 9 Feedyard CG Wn Dark Brown d, Brown N: This water we 6/23/2004	Jagoon d FROM	ft, From the from the first ft	Other	# 00331599 , FDOT - Norton KDHE # U6 63 plugged unche best of my	ft. to	vater well vell y below) pasin
GRAVEL P What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 0.5 0.5 9 9 28 28 37 37 43	ACK INTERVALS: AL: 1 Neat centor 0 ft. source of possible contor 5 Cess power lines 6 Seepage South Asphalt, Clay, v. silty, no Silt, clayey, sl. no Clay, v. silty, v. Clay, v. silty, sailty, v. Clay, v. silty, sailty, s	From From From Prom Prom Prom Prom Prom Prom Prom P	ft. to 26 ft. to 26 ft. to Cement grout 7 Pit privy 8 Sewage 1 9 Feedyard CG Wn Dark Brown d, Brown N: This water we 6/23/2004	Jagoon d FROM	ft, From the from the first ft	Other	# 00331599 , FDOT - Norton KDHE # U6 63 plugged unche best of my	ft. to	vater well vell y below) pasin