		WATER WELL RECORD Form WWC-5 KSA 82a-1212  WELL: Fraction Section Number Township Number Range Number T 3 s R 23	
County:		ton SE 1/NE 1/NW 1/4 T 3 s R 23	E(W)
Distance and	a direction in	Theatest town of city street address of well it located within city?	
2 WATER V	WELL OWNE	Gary Lacey	
		: 1103 Nixon Dr Board of Agriculture, Division of Water Resour	rces
City, State, ZIP Code : Norton, Ks 67654 Application Number:			, vide resources
LOCATE	WELL'S LO	ATON WITH	
AN "X" IN	SECTION E	X: DEPTH OF COMPLETED WELL 60 ft. ELEVATION:	
, X —	N	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3	_ft.
1		WELL'S STATIC WATER LEVEL 113 ft. below land surface measured on mo/day/yr	
1	NW		
<u>•</u>		Est. Yield gpm: Well water was ft. after hours pumping g	
		Bore Hole Diameter 8 in. to 60 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	ft.
1	į	WELL WATER TO BE USED AS. 5 Public water supply 8 Air conditioning 11 injection well	
	sw		
♦ L		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well	
,,	S	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample w	as
E TV55.55	DI 44"	submitted Water Well Disinfected? Yes X No	-
5 TYPE OF			
1 Stee		3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC		4 ABS 7 Fiberglass Threaded	
Blank casing	diameter	4.5 in. to 40 ft., Dia in. to ft., Dia in. to	_ft.
Casing heigh	nt above land	surface 18 in., weight 2.38 lbs./ft. Wall thickness or gauge No248	
TYPE OF SO	CREEN OR F	RFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Stee	el	3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Bras	SS	4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OF	R PERFORA	ON OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole	<b>a</b> )
	tinuous slot	3 Mill slot 6 Wire wrapped 9 Drilled holes	
	vered shutte	4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PE	ERFORATED	NTERVALS: From 40 ft. to 60 ft. From ft. to	
		From ft. to ft. From ft. to	ft.
GRA	VEL PACK		
T		From ft. to ft. From ft. to	ft.
		1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Interva	als From	it. to it. Floir it. to	_ft.
What is the r	nearest sour	of possible contamination: 10 Livestock pens 14 Abandoned water well	
1 Sep	tic tank	4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well	
		5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
	tertight sewe	ines 6 Seepage pit 9 Feedyard 13 Insecticide storage <b>none</b>	
Direction from		How many feet?	
FROM	TO	CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 2	2 24	Surface loess	
24	57	Fine to med sand & some gravel	
	<u> </u>	W/clay strks	
57	60	Black shale	
	J.W	RECEIVED	
		OCT 0 8 2004	
		BUREAU OF WATER	
CONTRA	CTOR'S OF		<del>_</del>
7 was	.5.51.60	2 113 2 11 1	-
completed o	n (mo/day/vi	9-1-04 and this record is true to the best of my knowledge and belief. Kansa	as I
Water Well (	Contractor's	cense No. 554 This Water Well Record was completed on (mo/day/yr) 9-10-0	- 1
	usiness name		
INSTRU	JCTIONS: P	ase fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Burgay of Water, Topeka	, –
Kansas	66620-0001.	elephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.	