				WATE	R WELL RECO	ORD Form	n WWC-5	KSA 8	82 <b>a</b> -121	2 ID 1	No				
1 LOCATIO	ON OF WATE			Fraction	•	, 1		ion Nun			ship Nun	nber	Rang	je Numb	er
County:		rton		W 1/2 *	NE 1/4	184	1/4	3		T	3	s	R	23	E/W
Distance and	d direction from	m nearest	town o	r city street ad	dress of well if	located wit	hin city?								
			A4144							*					
	WELL OWNE														
	dress, Box#									Board	of Agricul	ture, Div	ision of Wa	iter Reso	ources
City, State, 2	ZIP Code	: Nor	ton, k	(s 67654						Applica	ation Num	nber:			
3 LOCATE	WELL'S LOC	ATON W	ITH 4	DEDTU OF C	OMBI ETER I		56	•		TION					
AN X IN	A SECTION B	OX;	ļ	•	COMPLETED		56								
	N		De	epth(s) Ground	water Encount	tered 1			ft. :	2		ft.	3		ft.
↑ × Γ	×		W		WATER LEVI										
	NW	- NE		Pum	p test data: V	Vell water v	vas		ft. :	after		_ hours ;	oumping _		gpm
		i	Es	t. Yield	gpm: V	Vell water v	vas		ft. a	after		_ hours p	oumping		gpm
₩			E Bo	re Hole Diame	eter <b>8</b> O BE USED A C 3 Feed lot	in. to	56	}	fl	. and		- ir	n. to		ft.
7	1 1		W	ELL WATER T	O BE USED A	S: 5 Put	olic water su	ipply		8 Air	conditioni	ng 1	1 Injection	well	
	sw	- SE		1 Domestic	3 Feed lot	6 Oil	field water s	supply		9 Dev	vatering	1	2 Other (S	Specify b	elow)
	i	Ĭ-		2 Irrigation	4 Industria	l 7 Lav	vn and gard	en (don	nestic)	10 Mc	onitoring v	well			
<b>†</b>			W	as a chemical/	bacteriological	sample su	bmitted to D	epartm	ent? Y	es	No X	_ If yes	, mo/day/yr	sample	was
	S		1	bmitted									<u> </u>		
5 TYPE OF	F BLANK CAS	SING USE	D:		5 Wrought	iron	8 Concre	te tile					d X		3
1 Ste			MP (SR)	)	6 Asbesto								led		
2 PV		4 AE		,	7 Fiberglas		•		•						
					_							11116	aded		
Blank casing	g diameter	4.5	<sup>(N</sup>	. to	ft., Dia		in. to	· <u>-</u>		π., Dia			. In. to	240	<sup>π.</sup>
	ht above land			4.5	in., weight			lb	s./ft. V	Vall thick	ness or ga	auge No.	·	.248	
	CREEN OR P														
1 Ste					5 Fibergla			RMP (S	SR)	7	1 Other	(specify)			
2 Bra					6 Concrete	e tile * O	9	ABS			2 None			/ h	
	R PERFORAT	IION OPE					d wrapped				cut d holes		11 None	(open n	ole)
	ntinuous slot Jvered shutter			i slot y punched		6 Wire wi 7 Torch of	• •								
									A C.		i (Specii)	"		·	
SCREEN-PI	ERFORATED	INTERVA	ALS:		<b>36</b> ft										
				From	ft	. to			ft. Fro	om		ft.	to		ft.
GR/	AVEL PACK I	NTERVAL	<b>.\$</b> :		<b>20</b> ft								to		ft.
				From	ft	. to			ft. Fro	om		ft.	to		ft.
6 GROUT	MATERIAL:	1 N	eat cem	nent 2	Cement grou	t	3 Ben	tonite	4	Other					
Grout Interv	als From	0	ft. t	to <b>20</b>	ft. From		ft. t	0		ft.	From		ft. to		ft.
	nearest source									ck pens			andoned w		
1 Ser	ptic tank	•	4	Lateral lines	7	Pit privy		11 1	Fuel ste	orage		15 Oi	well/ Gas	well	
	wer lines			Cess pool		Sewage la				er storage		16 Ot	her (specifi	y below)	
	tertight sewer	lines	6	Seepage pit		Feedyard	•			cide stora			nor		
Direction fro	•				·				many fe		-				
FROM	ТО	CODE		LITHOL	OGIC LOG		FROM	TC			PLUC	GGING I	NTERVALS	3	
0	2		Surfa					T							
2	15		Loes	S	V										
15	20		Clay												
20	23			sand											
23	39		Clay												
39	56				& gravel	w/river									
			Mud	luns											
56			Blac	k shale											
									T						
7 CONTR	ACTOR'S OR	LANDOV	VNER'S		ION: This water	er well was	(1) construc	ted, (2)	recons	tructed, c	or (3) plug	ged unde	er my jurisdi	iction and	d was
completed of	on (mo/day/yr)	)		4-14	4-06		and th	is recor	rd is tru	e to the l	est of my	y knowle	dge and be	lief. Kar	nsas
	Contractor's L				554		This W				-		-	A-28	
														<i>at ti</i> ::	
INSTR	UCTIONS: Pi	ease fill in b	olanks a	nd circle the cor	rect answers. S	end three co	pies to Kans	as Depa	artment	of Health	and Enviro	nment. B	ureau of W	iter 1000	SW
Jackso	on St., Ste. 420,	Topeka, K	ansas 6	6612-1367. Te	ephone: 913-29	96-5545. Se	nd one to W/	ATER W	VELL OV	VNER an	d retain on	e for your	records.		