		44		R WELL RECO	ORD For						_
_	ON OF WATE			21147	211.27		ion Number	1 :		Range Number	
County:		orton	NW 1/4				2	Т 3	s	R 23	W
Distance ar	nd direction fro	om nearest	town or city street ad	oress of well li Park St &			rton. KS				
2 WATER	WELL OWN	R KDI			<u> </u>	,	,	***************************************			
			SW Jackson	Ste. 410				Board of Agricult	ture. Divis	ion of Water Resource	s
City State	7IP Code	· Top	eka. KS 66612					Application Num			
LOCATE	E WELL'S LO	CATON W	TU							70.00	
AN "X" I	N SECTION E	BOX:	DEPTH OF C	COMPLETED \	WELL	55	ft. ELE	VATION:	22	70.96	ے ا
	N N	······································	Depth(s) Ground	water Encoun	tered 1.5	32	ft	t. 2	ft. 3	FF	t. Cr
1	X	1						surface measured on			류
-	NW - -	NE								ımpingGpn	n ç
ejje W		i	_ Est. Yield	Gpm: \	Vell water v	vas	F	t. after	Hours pu	umpingGpn	ח ת
- W ►		1	Bore Hole Diame	eter 8.023) In.to	olic water cu) Innly	ft. and	in.	to F Injection well Other (Specify below)	t. S
	sw	_ SE	1 Domestic	3 Feed lot	6 Oil	field water s	supply	9 Dewatering	12	Other (Specify below)) -
		1	2 Irrigation	4 Industria	ıl 7 Lav	vn and gard	len (domesti	c) 10 Monitoring w	/ell	SWP-5D	- 1
* L	<u> </u>	i								mo/day/yr sample was	
	S		Submitted	suctonologica.	· campio ca			nter Well Disinfected?			
5 TYPF O	F BLANK CA	SING USF		5 Wrought	Iron	8 Concre		CASING JOINT			\dashv
1 Ste			IP (SR)	6 Asbesto					Welde		
2 PV		7 4 AB	, ,	7 Fibergla						ded X	
				Ft							
			in. to 45							in. toft	
Casing heig	ght above land	surface	FLUSH	In., weight							
TYPE OF S	CREEN OR F	PERFORA	TION MATERIAL:					10 Aşbest			İ
1 Ste				5 Fibergla		8	RMP (SR)	11 Other (specify) _		-
2 Bra			Ivanized steel NINGS ARE:			y wrapped	ABS	12 None u	ised (oper 1	n hole) I1 None (open hole)	
	ontinuous slot		3 Mill slot		6 Wire w			9 Drilled holes	'	11 140the (Open Hole)	
	uvered shutte		4 Key punched		7 Torch o						1
1	PERFORATED						ft F	From	ft to	ft	
CONCENT	LIN OIVIILL)								F	٠. ا
54	ND PACK INT	FRVAIS:	From	43 ft	to	55	ft F	From	ft to	·F	
0/1	IND I MOR IIV	LITTALO.	From					From			
6 GROUT	MATERIAL	1 No					tonite	William I			~
				Cement grout Ft.		⊢t.					- 1
Grout Interv	als From2	0.5	ft. to 1	From3	1	to	43	ft. From		ft. toft	.
1		ce of possib	le contamination:					•		ndoned water well	
1 Se	ptic tank		4 Lateral lines	7	Pit privy		11 Fuel:	-	15 Oil w	vell/ Gas well	_
2 Se	wer lines		5 Cess pool		Sewage la	igoon		izer storage		er (specify below)	
l .	atertight sewer	r lines	6 Seepage pit	9	Feedyard			ticide storage	Con	taminated Site	ı
Direction fro		 					How many				4
FROM	TO	CODE		OGIC LOG		FROM	ТО	PLUG	GING INT	ERVALS	╛,
0.5	0.5 28		Topsoil Clay, silty								_
0.5 28	53		Sand								\dashv
53	55		Shale	-							\neg
55	TD		End of Borehol	е							
		$\perp = \uparrow$							·		_
ļ	<u> </u>									Property and the Control of the Cont	4
	ļ	ļ						· · · · · · · · · · · · · · · · · · ·			-
	 	 								····	\dashv
		1									\dashv
<u> </u>	†										
7 CONTR	ACTOR'S OR	LANDOW			er well was	(x) construc	ted, (2) reco	onstructed, or (3) plug	ged unde	er my jurisdiction and w	
,	on (mo/day/yr	,	05/0					•	_	e and belief. Kansas	
Water Well	Contractor's L	_icense No		585						ay/yr) 05/30/12	
under the b	usiness name	of	Associat	ed Enviro				y (signature) Brac			١.
INSTR Kansas	:UCTIONS:. Pk	ease fill in bl Telephone:	anks and circle the corr 913-296-5545. Send	ect answers. Seene to WATER \	end three co NELL OWN	pies to Kans: ER and retair	as Departmer n one for vour	τ of Health and Epytor records.`	ment or	eau of Water, Topeka,	
ransa:	0001.	. U.Upi IUI IU.	200 00 to. Octio		77117		iv. joul	war.			