## KOLAR Document ID: 1600341

	WELL R			WWC-5		vision of Wa ources App.			Well ID		
	Original Record       Correction       Change in Well Use         1       LOCATION OF WATER WELL:       Fraction						ion Number   Township Number   Range Number				
County: 1/4 1/4 1/4											
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and irrection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "	WITH "X" IN 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX. 2) ft. 3) ft., or 4) $\Box$					Vell Datum: □ WGS 84 □ NAD 83 □ NAD 27					
	WELL'S STATIC WATER LEVEL:					Sour	Source for Latitude/Longitude:				
				-yr) -yr)			unit make/model:				
NW	NE	Pump test da			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	E	after				Mapper:					
SW	SE	after	ft.								
		Estimated Y		. spin		6 Elevation:ft.  Ground Level  TOC					
	S	Bore Hole Diameter: in. to ft.				Sour	Source: Land Survey GPS Topographic Map Other				
									•••••		
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease											
	☐ Household 6. ☐ Dewatering: how many wells?					11. Test	11. Test Hole: well ID				
	□ Lawn & Garden 7. □ Aquifer Recharge: we										
	□ Livestock       8. □ Monitoring: well ID         □ Irrigation       9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical				
4. Industrial Recovery Injection						13. 🗌 C	13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
			Lateral Line			Livestock P	Pens	☐ Insectic	ide Storage		
Sewer 1			Cess Pool		agoon 🗌	Fuel Storag			oned Water	Well	
				☐ Feedyard		Fertilizer St	torage	∐ Oil Wel	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)		
under the b	usiness name	of	WATED N	ELL OWNED and rates	ono for war	orda Ec 1ª		ar angle genetiment at the		<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										