

AAD

1 LOCATION OF WATER WELL
 County: Norton Fraction: NE 1/4 NE 1/4 SE 1/4 Section Number: 27 Township Number: T 3 S Range Number: R 25 E

Distance and direction from nearest town or city? 3 miles North of Clayton Kansas
 Street address of well if located within city? Abby


2 WATER WELL OWNER: Harrison Britton
 RR#, St. Address, Box #: Clayton Kansas 67629
 City, State, ZIP Code: Clayton Kansas 67629
 Board of Agriculture, Division of Water Resources
 Application Number:

3 DEPTH OF COMPLETED WELL: 60 ft. Bore Hole Diameter: 9 in. to 60 ft., and in. to ft.
 Well Water to be used as:
 Domestic 3 Feedlot 5 Public water supply 6 Oil field water supply 8 Air conditioning 9 Dewatering 11 Injection well 12 Other (Specify below)
 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Well's static water level: 27 ft. below land surface measured on month 3 day 29 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield 20 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 2 PVC 1 Steel 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) Casing Joints: Glued Clamped
 Blank casing dia: 5 in. to 50 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 12 in., weight 2.82 lbs./ft. Wall thickness or gauge No. 258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 7 PVC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 8 Saw cut 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 6 in. to ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 50 ft. to 60 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 14 ft. to 60 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 2 Cement grout 1 Neat cement 3 Bentonite 4 Other
 Grouted Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 4 Cess pool 1 Septic tank 2 Sewer lines 3 Lateral lines 5 Seepage pit 6 Pit privy 7 Sewage lagoon 8 Feed yard 9 Livestock pens 10 Fuel storage 11 Fertilizer storage 12 Insecticide storage 13 Watertight sewer lines 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well: Northwest How many feet: 120? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name: Aeromotor Model No. SD12-50 HP 1/2 Volts 230
 Depth of Pump Intake: 49 ft. Pumps Capacity rated at 12 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on month 11 day 23 year 79
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 167
 This Water Well Record was completed on month 12 day 29 year under the business name of Fawcett & Son Drilling by (signature) John R. Fawcett

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	26	clay			
26	50	sand (medium coarse)			
50	60	sand with clay			

ELEVATION: valley
 BROCK? no
 2372