KOLAR Document ID: 1625653

					Division of Water				
<u> </u>		ge in Well Use		sources App. I		1.: N1	Well ID	an Manulan	
1 LOCATION OF WATER WELL: County:		Fraction		Section Number		ship Number S	r Ran	ige Number □ E □ W	
2 WELL OWNER: La			ural Address	where well					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:									
Address:	Address:								
Address:	Q	770							
City:	State:	ZIP:							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COM		ft. <b>5 Latitude</b> :(decimal degrees)						
SECTION BOX:	Depth(s) Groundwater I	ft.		Longitude:(decimal degrees)					
N	2) ft. 3		Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27						
	WELL'S STATIC WA			Source for Latitude/Longitude:					
X	<ul><li>□ below land surface,</li><li>□ above land surface,</li></ul>			a si s (unit intuite) insueri					
NW   NE	Pump test data: Well w			· (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
W E	after hours			Online Mapper:					
'   '	Well w			иние марре					
SW SE	after hours	gpm	6 Florestion: ft Crownd Lovel CTOC						
	Estimated Yield:gpm Bore Hole Diameter:in. toft. and			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map					
S			Other						
1 mile  in. to ft.									
7 WELL WATER TO BE USED AS:           1. Domestic:         5. □ Public Water Supply: well ID									
☐ Household	6. ☐ Dewaterin								
☐ Lawn & Garden	7. ☐ Aquifer Re			11. Test Hole: well ID					
Livestock	8. Monitoring			12. Geothermal: how many bores?					
2.   Irrigation	<ol><li>Environmenta</li></ol>	)		a) Closed Loop					
3. ☐ Feedlot	☐ Air Sparge		b) Open Loop ☐ Surface Discharge ☐ Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected?									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From					f	it. to	ft.		
Nearest source of possible						□ I	J- C4		
☐ Septic Tank       ☐ Lateral Lines       ☐ Pit Privy       ☐ Livestock Pens       ☐ Insecticide Storage         ☐ Sewer Lines       ☐ Cess Pool       ☐ Sewage Lagoon       ☐ Fuel Storage       ☐ Abandoned Water Well									
Sewer Lines   Cess Pool   Sewage Lagoon   Fuel Storage   Abandoned water well     Watertight Sewer Lines   Seepage Pit   Feedyard   Fertilizer Storage   Oil Well/Gas Well									
					711150	_ 011 ,, 011	, ous ,, on		
Direction from well?	ell?								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LO	G (cont.) or I	PLUGGIN	G INTERVALS	
			Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under my jurisdiction and was completed on (mo-day-year)									
under the business name	e of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212									