

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Decatur</u>	<u>NW 1/4 NW 1/4 SE 1/4</u>	<u>15</u>	<u>T 3 S</u>	<u>R 26 E</u>

Distance and direction from nearest town or city street address of well if located within city?

1 1/2 m. West on hwy 36 & 2 1/2 m S from Norcatur, Kans

2 WATER WELL OWNER: <u>Dennis Leichter</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>RT-1</u>	Application Number:
City, State, ZIP Code: <u>Clayton, Kansas 67629</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>113</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>98</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>9</u> in. to <u>20</u> ft., and <u>8</u> in. to <u>113</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes.....No <u>X</u>; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to <u>93</u> ft., Dia			Threaded
Casing height above land surface <u>18</u> in., weight			lbs./ft. Wall thickness or gauge No. <u>FOR 21</u>
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>93</u> ft. to <u>113</u> ft., From		
	From ft. to ft., From		
GRAVEL PACK INTERVALS:	From <u>100</u> ft. to <u>113</u> ft., From		
	From ft. to ft., From		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>10</u> ft. to <u>0</u> ft., From				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	<u>None middle pasture.</u>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	35	Dirt & clay			
35	44	Fine sand & clay			
44	67	Layer sand, clay sandstone fine sand			
67	70	Fine sand			
70	78	Med Sand			
78	90	Sandy clay			
90	108	Clay			
108	113	Sand			
113	127	Clay			
127		Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-30-84</u> and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. <u>428</u> This Water Well Record was completed on (mo/day/yr) <u>3-19-85</u>
under the business name of <u>STALDER DRILLING</u> by (signature) <u>Greg Stalder</u>

INSTRUCTIONS: Use typewriter or ball point pen, **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.