	WATER WELL RECORD	Form WWC-5	KSA 82a-121	2 ID <b>N</b> o		
1 LOCATION OF WATER WELL:	Fraction NW 1/4		ion Number		1	<b>-</b> ✓
County: Decatur			7	т <b>3</b> s	R 26	_E(W
Distance and direction from nearest to	wn or city street address of well if loo	ated within city?				
2 WATER WELL OWNER: Donna	a Kunteon					
						1
RR#, St. Address, Box # : 1721 :	o/ St.				Division of Water Reso	
City, State, ZiP Code : Council	CII BIUTT, IA			Application Number:	20060150	
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WE	LL <b>200</b>	ft. ELEVA	TION:		1
N	Depth(s) Groundwater Encountere	ed 1	ft.	2	ft. 3	ft
4 X	WELL'S STATIC WATER LEVEL	na #	helow land sur	face measured on mo/	davlyr	
	i					
NWNE	Pump test data: Well					
<u>±</u> W	Est. Yield gpm: Well	1 Waler Was	<sup>11.</sup>	and	is to	. gpiii
- "	Bore Hole Diameter <b>8</b> in WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot	5 Public water su	yooky "	8 Air conditioning	11 Injection well	11.
SW SE	1 Domestic 3 Feed lot	6 Oil field water	supply	9 Dewatering	12 Other (Specify b	elow)
	2 Irrigation 4 Industrial	7 Lawn and gard	en (domestic)	10 Monitoring well		
	Was a chemical/bacteriological sa					
S	submitted			er Well Disinfected? Ye		
5 TYPE OF BLANK CASING USED:	5 Wrought Iro	n 8 Concre			Glued X Clampe	d
1 Steel 3 RMP		ement 9 Other			Welded	
2 000	7 55			·	***	
Blank casing diameter 4.5	in. to 160 ft Dia	in. t	0	ft. Dia	in to	ft
Blank casing diameter 4.5  Casing height above land surface TYPE OF SCREEN OR PERFORATION	18 in weight	2.38	lbs /ft V	Vall thickness or gauge	No248	'
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:	7	PVC	10 Asbestos-c	ement	
	less steel 5 Fiberglass	8	RMP (SR)	11 Other (spe	CITV)	
2 Brass 4 Galva	anized steel 6 Concrete til	e 9	ABS	12 None used	(open hole)	1
SCREEN OR PERFORATION OPEN	NGS ARE: 5	Gauzed wrapped	[	8 Saw cut	11 None (open h	iole)
1 Continuous slot 3		Wire wrapped		9 Drilled holes		l
2 Louvered shutter 4	Key punched 7	Torch cut		10 Other (specify)		[
SCREEN-PERFORATED INTERVALS						
	From ft. to		ft. Fro	om	ft. to	ft.
GRAVEL PACK INTERVALS:					ft. to	ft.
	From ft. to		ft. Fro	om	ft. to	ft.
6 GROUT MATERIAL: 1 Neat	cement 2 Cement grout	3 Ben	tonite 4	Other		
Grout Intervals From 0	ft. to 20 ft. From	ft. t	.0	ft. From	ft. to	ft.
What is the nearest source of possible					Abandoned water wel	11
1 Septic tank	4 Lateral lines 7 Pi	t privy	11 Fuel st	orage 15	Oil well/ Gas well	ı
	5 Cess pool 8 Se					ŀ
3 Watertight sewer lines	6 Seepage pit 9 Fe	eedyard	13 Insection		none	
Direction from well?  FROM TO CODE	LITHOLOGIC LOG	FROM	How many fe		IG INTERVALS	
	urface	FROM	+-'0-	FLUGGIN	IG INTERVALO	
	oess		1			
15 38 C	lay			· · · · · · · · · · · · · · · · · · ·		
38 90 C	lay & caliche					
90 95 S	andstone					
	lay					
	lay & caliche strks	4-1-			W	
	lay & caliche w/sandstone				**************************************	
	ine sand w/sandstone len andy clay & caliche w/sd					
	ine to some med sand	ou no	+			
	ine sd w/clay, caliche &		+			
	andstone strks		<del>  -</del>			
198 200 Y	ellow ochre					
7 CONTRACTOR'S OR LANDOWNE	ER'S CERTIFICATION: This water w	ell was (1) construc	led, (2) recons	tructed, or (3) plugged u	ander my jurisdiction and	was
completed on (mo/day/yr) Water Well Contractor's License No.	4-27-01	and th	is record is tru	e to the best of my kno	wledge and belief. Kar	nsas
Water Well Contractor's License No.	554	This W	/ater Well Rec	ord was completed on	(mo/day/yr) 5-8-6	06
under the business name of	Woofter Pump & V	Vell Inc.	by	(signatura)	do lateration	_
INSTRUCTIONS:. Please fill in blan	iks and circle the correct answers. Send	three copies to Kans	as Department	of Health and Environmen	nt, Bureau of Water, 1000	SW
	sas 66612-1367. Telephone: 913-296-5	545. Send one to W/	TIER WELL OV	VNER and retain one for	vour records.	1