WATE	R WELI	RECORD	Form WWC	C- 5	Division of Wate	er Resources; App. No.	
		F WATER WELL:	Fraction		Section Number		
Cour	ity: De	catar	wn or city street address of	VW 1/4	36	T 3 S	R 27 E/W
Dista	ince and di	rection from nearest tov	wn or city street address of v	veil if G	Latitude:	Systems (decimal deg	rees, min. of 4 digits)
United within city? Latitude: Longitude:							
2 WA	TER WEI	LOWNER: Jom	VOTANKA		Elevation:		
	, St. Addre	- "	-	,	Datum:		
City	, State, ZIF	Code : Jen	nings Ks 6744-	•	Data Collection	Method:	
3 LOC	CATE WE	LL'S 4 DEPTH OF	COMPLETED WELL		ft.		
	CATION						
	'H AN "X'	'IN Depth(s) Groun	ndwater Encountered (1)	.a.	ft. (2)	ft. (3).	ft.
SEC	TION BO	X: WELL'S STA	ΓIC WATER LEVEL 🥻	ል ft. ነ	below land surface	e measured on mo/day	//yr
	N		test data: Well water was				
	Est. Yield. 5gpm: Well water was						
w N	W NE ·	E 1 Domestic	3 Feedlot 6 Oil fie	ld water sur	oply 9 Dev	vatering 12 Of	ther (Specify below)
" -		2 Irrigation	4 Industrial 7 Domes	stic (lawn &	garden) 10 Mor	nitoring well	
SV	SW SE						
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted						
Sample was submitted							
		3 RMP (SR) 6 A	shestos-Cement 9 Oth	er (specify)	helow)		Clamped
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued							
Blank casing diameter							
Casing height above land surfacein., Weightlbs./ft. Wall thickness or guage No. 1.2							
		N OR PERFORATION		0.4	0.0	11.04. (0. 16.)	•
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 4.3 ft. to 54 ft., From ft. to ft. From ft. to ft.							
From							
From ft. to ft.							
			110111 10. 10		16., 1 10111	11. 10 .	,
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From							
What is the nearest source of possible contamination: 1. Source to possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well							
					•		
FROM	TO		DLOGIC LOG	FROM	TO	PLUGGING INT	ERVALS
D	27	Top					
37	32	Dirty JANd	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
32	35	Limstone & Con	mented JAnd				
35	37	SAND Shale			<u> </u>		
37_		3 naix					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of Jelly Only Co by (signature) by (signature)							
INSTRUCTIONS: Use typewriter or ball point poin. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							