WATER WELL REC	CORD	Form W	WC-5	Division of Wate	r Resources App. No	0	
1 LOCATION OF WATER WELL: County: Republic		Fraction SE 1/4 SE 1/4 SW	/ ¼ SW ¼	Section Number		Range Number R 3	
Street/Rural Address of Well Location;				Global Positioning System (GPS) information:			
from nearest town or it		Latitude:					
				Longitude: (in decimal degrees)			
1327 28th St., US Highway 36, Belleville, KS				Elevation:			
				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Atlantic Richfield				Collection Method:			
RR#, Street Address, Box #: 501 Westlake Park Blvd.			GPS unit (Make/Model:)				
City, State, ZIP Code	, TX 77079		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	1, 17, 77070	Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m					
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 22. ft.							
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELDgpm. Well water wasft. after hours pumping							
W Bore Hole Diameter							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						njection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well MW 2							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS:	Glued Clan	nped weided	Inreaded	. A D	:	: A	
Casing diameter .2							
Casing height above land surface4.44in., Weightlbs./ft., Wall thickness or gauge NoSch. 40 PVC							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From10							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From .1							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well				from well			
FROM TO	LITHOLOG		FROM			GGING INTERVALS	
0 1 Concre							
1 16.5 Clay, s							
16.5 22' Clay							
- Jid - Joidy			1				
			1		MW2		
					111112		
			 				
			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗆 plugged							
under my jurisdiction and was completed on (mo/day/year) .09/09/2009 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed or mo/day/year) 12/22/2009							
under the business name of . Coranco Great Plains, Inc by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in tranks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at 1							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							