WAIL	KWLI	L RECORD	Form w	WC-3			r Resources App. No			
1		OF WATER WELL:	Fraction	1/. SW 1/.	Section	on Number 2		Range Number R 3 □E ☑W		
	County: Republic SE ¼ SE ¼ SW ¼ SW ¼ Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
132	1327 28th Street (US Hwy 36), Belleville, KS						Longitude: (in decimal degrees) Elevation:			
						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Atlantic Richfield RR#, Street Address, Box #: 501 Westlake Park Blvd.					Collection Method:					
		ID Co-do				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
			Est. Accuracy:							
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .20' ft.										
	SECTION BOX: Depth(s) Groundwater Encountered (1) 713' ft. (2) ft. (3)									
	N WELL'S STATIC WATER LEVEL. 12.45'ft. below land surface measured on mo/day/yr									
	. '	POT MELD	Pump test data: Well water wasft. after							
w NV	V N		Bore Hole Diameterin. toft., andin. toft.							
	$\dashv \dashv$	I I —	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify bell of the control									
LX	Was a chemical/bacteriological sample submitted to Department? Yes V No									
,	S If yes, mo/day/yr sample was submitted									
water went disintected?										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2										
Casing height above land surface3.84 in., Weight										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
Grout Intervals: From .1 ft. to .8 ft., From										
What is the nearest source of possible contamination: Septic tank										
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
		ht sewer lines	oit	Fertilizer st		Oil well/ga	is well	Oile		
FROM	TO	LITHOLOG		FROM	TO			GGING INTERVALS		
0	1	Top soil								
1	20	Clay, silty								
							MW 8			
				-						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) .6/08/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No5.94 This Water Well Record was completed on (mo/day/year) // 2010										
under the business name of .Coranco Great Plains, Inc. by (signature)										
INSTRUC	CTIONS:	Use typewriter or ball point per	n. PLEASE PRESS FIRMLY	and PRINT cle	arly. Ple	ase fill in blanks	and check the correc			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy										
NOA 020-1212 CHECK: XI WHITE COPY, \(\) BILLE COPY, \(\) PINK COPY										