WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: Republic		Fraction SE ¼ SW ¼ SW	% SW %				Range Number R 3 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .39.61297 (in decimal degrees)			
1327 28th Street (US Hwy 36) Belleville, KS			Longitude: 97.631.19 (in decimal degrees) Elevation: 1526.77					
				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNE	Richfield		Collection Method:					
RR#, Street Address, Box #: 501 We		stiake Park Blvd		GPS unit (Make/Model:)				
City, State, ZIP Code	, TX 77079		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL 20								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20								
SECTION BOX: De	TION BOX: Depth(s) Groundwater Encountered (1).~13							
	Pump test data: Well water was							
NM ND								
W								
Demostic Decodlet Doil field water guesty Description Dethat (Specify below)								
SWSE Domestic Peculot On field water supply Dewatering Other (specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted.7/13/2012								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .20 ft., Diameter in. to								
				lbs./ft.	, Wall thic	kness or gauge N	o SCH.40	
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel PVC ☐ Other (Specify)								
	ss Steel		اما ⊔	Other (Sp	pecify)	•••••••	*********	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From10								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 1 ft. to 6 ft., From ft. to ft., From ft. to ft.								
			• • • • • • • • • • • • • • • • • • • •	it. to	n.,	From	n. tott.	
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site								
Direction from well			Distance	from wel	ll			
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO, LO	OG (cont.) or PLU	IGGING INTERVALS	
0 1 Topsoil 1 20 Clay, sitty								
1 20 Clay, sifty				-				
						· · · · · · · · · · · · · · · · · · ·		
					MW 16			
	******				MYY IO			
]					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7/12/2012 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on mo/day than 1/27/2012								
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212				Che	eck: ∐ Wh	ite Copy, 🔲 Bl	ue Copy, 🔲 Pink Copy	