	TER WELL RECORD Form WWC-5 Original Record Correction Change in Well Ust				Division of Water Resources App. No. Well ID MW					MW11	
	CATION OF			Fraction					er Township Nun	nber Range	Number
	inty Republic			NW ¼	NE ¼	NW ¼	NW 1/4	2	T 3		3 <u>EX</u> W
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: Address: 1000 SW Jackson, Suite 410 Address: City Topeka State: KS ZIP: 66612											
3 LO	CATE WELL	opeka 4	State: KS DEPTH OF (COMPLETED		22.02	ft	5 Latitude:	39.826	55 (de	cimal degrees)
WITH "X" IN SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft 3) ft, or 4) Dry WELL'S STATIC WATER LEVEL: 21.62 below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr Pump test data: Well water was after hours pumping Water well was							ft Longitude 97.63051 (decimal degrees) Vell Horizontal Datum: WGS 84 NAD 83 NAD 27 ft. Source for Latitude/Longitude: 2/9-10/16 GPS (unit make/model:) (WAAS enabled? Yes No) Land Survey Topographic Map om Online Mapper om 6 Elevation 1539.49 ft Ground Level X TOC				
	S1 mile				in to	ft, and		Source	Land Survey		Topographic Map
1 Domest Ho Lav Liv 2 Irri 3 Fee	ELL WATER To ic: usehold wn & Garden estock gation dlot ustrial	5 6 7 8	Public Water Dewatering: Aquifer Recha	well ID MW11	? ID por Extrac	tior	1	1 Test Hole: we Cased 2 Geothermal: Ho	Uncased ow many bores? op Horizonta o Surface D	Geotechnic	al
Was a che	mical/bacterio	ogical sampl	e submitted to I	KDHE?	Yes X	No	If yes, da	te sample was su	ıbmitted:		
	disinfected?		No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clampled Welded X Threaded Casing diameter 2 in. to 7.02 ft, Diameter in. to ft, Diameter in. to ft, Casing height above land surface -0.24 in. Weight lbs./ft. Well thickness or gauge No TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 7.02 ft. to 22.02 ft, From ft. to ft,								ft.			
											ft,
GRAVEL PACK INTERVALS: From 5 ft. to 22.5 ft, From ft. to ft, From ft. to ft, 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete: 0-0.5ft Grout intervals: From 0.5 ft. to 5 ft, From ft. to ft, From ft. to ft,											
Sep Sev Wa	ource of possibitic Tank over Lines tertight Sewer Li er (Specity) om well? SW		ation: Lateral Lines Cess Pool Seepage Pit	Sev Fee	Privy vage Lagoo dyard ance from	n well? ~23	Fuel Ferti	stock Pens Storage lizer Storage	Oil Well /	d Water Well	
10 FRON			LITHOL	OGIC LOG			FROM	ТО	LITHO. LOG (co	nt.) or PLUGGI	NG INTERVALS
0	0.3	Concrete rul									
6	11.5	Silty clay Clay									
11.5	22.5	Silty clay									
						No	tes: KDH	E ID: Swiercin	sky Brothers (form	ner); U5-079-1	4713
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was jurisdiction and was completed on (mo-day-year) 1/25/16 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 757 This Water Well Record was completed on (mo-day-year) 2/25/16 ; under the business name of Larsen & Associates, Inc.											
-				each constructed	well to: Kar	nsas Departi	ment of He		ent, Bureau of Water,		
Visit	1000 SW . us at http://www.k		-	nsas 66612-1367.	Mail one to KSA 82a		Owner and	retain one for yo	ur records. Telephone		7/10/2015

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 February 11, 2016

RE: Monitor Well Elevation Survey 1511 M Street, Belleville, Kansas Proj. 16-00B Swiercinsky Brothers (former) U5-079-14713

Bench Mark: Chisled Sq. on NE corner of storm inlet at NE corner of property.

Elev: 1540.31 North 4830.74 West 4617.79 (from SE Cor. Sec. 2-3-3W)

MW-10	rim	1539.37	North	5025.45	NE1/4,NW1/4,NW1/4,NW1/4
	top pipe	1539.09	West	46 8 4.42.	Lat= 39.82655 Long = 97.63113
MW-11	rim	1539.73	North	5025.16	NW1/4,NE1/4,NW1/4,NW1/4
	top pipe	1539.49	East	4511.05	Lat= 39.82655 Long = 97.63051
MW-12	rim	153 8.98	North	5029.81	NW1/4,NE1/4,NW1/4,NW1/4
	top pipe	153 8. 71	West	4373.13	Lat= 39.82656 Long = 97.63002
MW-13	rim	1541.25	North	4856.30	SW1/4,NE1/4,NW1/4,NW1/4
	top pipe	1540.84	East	4376.85	Lat= 39.82609 Long = 97.63003

Lat & Long derived existing Belleville 7.5' quad map. WGS84

Elevation established from existing well project.

If you have land the stions, please feel free to call me. Thank you for the opportunity to be