		WATER WELL RECORD	Form WWC-5	5 KSA 82a-	1212			
1 LOCATION OF WAT	ER WELL: 5 Fracti	ion	Sec	ction Number	Township N		Range N	
County: Republ		E $_{1/4}$ NW $_{1/4}$ SW street address of well if located	1/4 within oity?	33	т 3	S) R 3	₩ W
	from nearest town or city s 4% South of Belle		within city?					}
2 WATER WELL OWNER: James Sanford								
RR#, St. Address, Box		en ye.			Roard of /	\ariculture 5	Division of Wat	ar Recourses
City, State, ZIP Code		e, Kansas 66935			Application		ZIVISIOII OI VVAI	ioi riesoulces
3 LOCATE WELL'S LO	CATION WITH 4 DEPTH	H OF COMPLETED WELL	60	ft. FI FVAT	ION:	160		
AN "X" IN SECTION	BOX: Depth(s)	Groundwater Encountered 1.	· · · · · · · · · · · · · · · · · · ·	ft. 2.		ft. 3.		.ft.
1	WELL'S S	Groundwater Encountered 1. 30 STATIC WATER LEVEL) ft. b	elow land surfa	ace measured or	mo/day/yr	4/11/1	984
Pump test data: Well water was								
	Est. Yield		was	ft. aft	ter	. hours pur	mping	gpm
i M i		Diameter						
	. 1 1		5 Public wate		8 Air conditioning		Injection well	hala: \
xsw	SE 2 Irric				9 Dewatering 0 Observation we			' li
.	' 1 '	gation 4 industrial / emical/bacteriological sample st		-			mo/day/yr san	1.3
1	mitted	ssambassinological sample s	John Mod to D		er Well Disinfecte	-		ipie was sub-
5 TYPE OF BLANK C		5 Wrought iron	8 Concre		CASING JO			ped i
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify below)			ed	· -
xx2 PVC	4 ABS	7 Fiberglass			•	Threa	ded	
Blank casing diameter		40 ft., Dia	in. to	'	ft., Dia	i	in. to	ft.
		in., weight						
TYPE OF SCREEN OF	R PERFORATION MATERI 3 Stainless steel	·· ·— ·	9 PM			estos-ceme		
1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	8 RM 9 AB	MP (SR)	et 4	ier (specify) ne used (ope	 en hole)	· · · · · · · •
	ATION OPENINGS ARE:		9 Ab d wrapped					en hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 3 Saw cut 11 None (open hole 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							, L	
2 Louvered shutte		d 7 Toroh	out.		10 Other /enerif	<i>(</i>)		
SCREEN-PERFORATE	D INTERVALS: From.	40 ft. to	60	ft., From	1	ft. tc)	ft.
		ft. to	<u>.</u>	ft., From	1 <i></i>	ft. to	o	ft.
GRAVEL PAG	CK INTERVALS: From.							
6 GROUT MATERIAL	From Neat cement	ft. to 2 Cement grout	3 Bento)	
	1 4 ff to	2 Cement grout 14 ft., From			Other			
A	urce of possible contamina			10 Livesto			π. το candoned wate	
Septic tank	4 Lateral lines	7 Pit privy		11 Fuel s			il well/Gas wel	l l
2 Sewer lines	5 Cess pool	8 Sewage lago	on		zer storage		ther (specify b	
	er lines 6 Seepage pit	9 Feedyard			icide storage	··		elow)
Direction from well?	Southeast	OGIC I OO	EDC:	How man	y feet? 7	-	0.100	
FROM TO 3	topsoil	LOGIC LOG	FROM	то		LITHOLOGI	io LUG	
3 22 0	/ brown clay		1	 		A		
22 24 26	limestone & gra	vel	1					· ·
24 41	brown clay	Manage - 1						
	/blue clay							
50 57 //	gravel w/ loose	limestone	 					
57 60 /9 60 24	<u> </u>		+	 				
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	hard rockSto	<u> </u>	•,					
		W	<u> </u>					——————————————————————————————————————
			 	 				
								7
								<u></u>
	•							
			1					
7 CONTRACTOR'S C	R LANDOWNER'S CERTI	IFICATION: This water well wa	s (X) constru	cted, (2) recor	nstructed, or (3) p	olugged und	er my jurisdict	tion and was
completed on (mo/day/year)								
			ell Record wa	•			984	
under the business nar	ne of LATYL COX	& Sons Inc. PLEASE PRESS FIRMLY and	PRINT	by (signatu	ure) Alex	fl Cry	Correct co-	ars Send to-
three copies to Kansas i	Department of Health and E	nvironment, Division of Environr	nent, Environ	.,. ı ıcase iiii in mental Geoloav	y Section, Topeka	, KS 66620.	Send one to W	ATER WELL
OWNER and retain on	e for your records.						2	•
·							<u></u>	