WATER WELL	RECORD	Form WWC-	5	Division of V	Water Resources; App. No.		
1 LOCATION OF	WATER WELL:	Fraction		Section Number	_		
County: Rawli		NE 1/4 NW 1/4 NE	8 T 3 S R 33 FW				
Distance and direction from nearest town or city street address of well if located within city?  Global Positioning Systems (decimal degrees, min. of 4 digital Latitude:							
310 Grant St., Atwood, KS				Longitude:			
2 WATER WELL OWNER: Coastal Mart, Inc.				Elevation:			
RR#, St. Address, Box # : 2 N. Nevada				Datum:			
City, State, ZIP (		Spring, CO 8	0903	Data Collecti	on Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
LOCATION							
WITH AN "X" I	N Depth(s) Groundwate	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.					
SECTION BOX:		WELL'S STATIC WATER LEVEL. 23, 29 ft. below land surface measured on mo/day/yr2-28-06					
N	Pump test dat	Pump test data: Well water was					
X	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
NW   NE	_   1 Domestic 3 Fee	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) Monitoring well							
aw ar							
Sample was submitted							
S							
5 TYPE OF CASIN	NG USED: 5 Wrought	Iron 8 Conci			SING JOINTS: Glued		
1 Steel 3	RMP (SR) 6 Asbestos	-Cement 9 Other	(specify	below)	Welded	Y	
Blank casing diameter 2 in to 15.4 ft., Diameter in to 15.4 ft., Diamet							
Casing height above	land surface2	in Weight		lbs/ft. Wal	1 thickness or guage No.	SCH40	
	OR PERFORATION MAT			100,711. 11.01	i miomios or gaage 1 (o)		
1 Steel 3 Stainless Steel 5 Fiberglass VC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
From							
From							
From ft. to ft., From ft. to ft.							
6 CROUT MATERIAL. 1 Neet coment 2 Coment and 4 Others							
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 13.5 ft. to 2.0 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well UST Tank Basi Direction from well? East How many feet? 260'							
Direction from well?							
FROM TO	LITHOLOGIC	C LOG	FROM		PLUGGING INT 0/20 Sand	ERVALS	
	Concrete Soft tan/dark br	oun oilt	35.4 13.5		7/8 Bentonite c	hine	
					-	птрь	
	Dark tan/brown s Saturated	silt with sand	2.0	10 10	ement		
21 33	Saturated						
					MW-16R		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 2 28 06 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No665 This Water Well Record was completed on (mo/day/year) .3-1.2-06							
under the business name of Pratt Well Environmental by (signature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in brank, underline or circle the correct answers. Send top							
three copies to Kansas De	partment of Health and Environme	ent, Bureau of Water, Geolog	y Section,	1000 SW Jackson	St., Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send	one to WATER WELL OW	NER and retain one for	your re	cords. Fee of	\$5.00 for each constructe	d well. Visit us at	
http://www.kdhe.state.ks.i	18/geo/waterwells.						