	WATER WELL RECORD Form	1 WWC-5 K\$A 82a-1	212 ID No. MW - 25	5(2 nd)	
	Fraction	Section Number	Township Number	Range Number	
	SW 1/2 SE 1/4 SE		T 3 S	R 33 E/W	
Distance and direction from nearest town o	or city street address of well if located wit	hin city?		4	
2 WATER WELL OWNER: City of Atwood					
RR#, St. Address, Box # : 106 S 3 rd St Board of Agriculture, Division of Water Resources					
Other Charles TID Couls . Atheroad	KG 67730		Anniination Alumban		
2 LOCATE WELL'S LOCATON WITH	1		Application Hamber.		
3 LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION: N Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.					
↑ W	ELL'S STATIC WATER LEVEL				
NWNE	Pump test data: Well water v				
Es	st. Yield gpm: Well water v	/as 1	t. after hours ;	pumpinggpm	
₩ E Bo	ore Hole Diameter 8 in. to ELL WATER TO BE USED AS: 5 Put 1 Domestic 3 Feed lot 6 Oil	35	ft. and in	n. toft.	
	ELL WATER TO BE USED AS: 5 Put 1 Domestic 3 Feed lot 6 Oil	blic water supply field water supply	8 Air conditioning 1 9 Dewatering 1	1 injection well 2 Other (Specify below)	
SWSE	2 Irrigation 4 Industrial 7 Lav	on and garden (domesti	c) 10 Monitoring well	2 Outer (opean) below)	
	/as a chemical/bacteriological sample su				
	ubmitted		iter Well Disinfected? Yes		
5 TYPE OF BLANK CASING USED:	5 Wrought Iron		CASING JOINTS: Glue		
1 Steel 3 RMP (SR	-			ded	
PVC 4 ABS	·		Thre	aded X	
Blank casing diameter 2 in		in. to	ft Dia	in. to ft.	
Casing height above land surface	0 in weight	716 hbs./ft.	Wall thickness or gauge No.	.154	
TYPE OF SCREEN OR PERFORATION MATERIAL 7, PVC. 10, Ashestos-cement					
1 Steel 3 Stainless	steel 5 Fiberglass	8 RMP (SR)	11 Other (specify))	
	ed steel 6 Concrete tile	9 ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENINGS 1 Continuous slot 3 Mil	SARE: 5 GAUZOC	l wrapped rapped	8 Saw cut 9 Drilled holes	11 None (open hole)	
2 Louvered shutter 4 Ke		apped sut	10 Other (specify)		
SCREEN-PERFORATED INTERVALS:	From 10 ft. to		From ft.	to ft.	
	From ft. to				
GRAVEL PACK INTERVALS:	From 8 ft. to	35 ft. i	From ft.	to ft.	
				to ft.	
6 GROUT MATERIAL: 1 Neat cerr					
Grout Intervals From 0 ft.	to 1 ft. From 1	ft. to 8	ft. From	ft. to ft.	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well					
	Lateral lines 7 Pit privy		storage 15 Oi	I well/ Gas well ther (specify below)	
	Cess pool 8 Sewage I		lizer storage 16 Ot	ther (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site					
Direction from well? FROM TO CODE	LITHOLOGIC LOG	How many	/ teet? PLUGGING I	MTEDVALS	
	rel Surface	TROM 10	1 20001140 1	ITILITYALO	
	Brown Silty Clay				
10 15 Dark	Brown Clay				
15 30 Grey	/ Clay				
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
				· · · · · · · · · · · · · · · · · · ·	
				A CONTRACTOR OF THE STATE OF TH	
7 CONTRACTOR'S OR LANDOWNER'S	CEDTIFICATION: This water well were	(1) constructed (2) man	netructed or (3) physical under	ar my jurisdiction and was	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 5-23-07 and this record is true to the best of my knowledge and belief. Kansas					
under the business name of Woofter Pump & Well Inc. by (signature)					
INSTRUCTIONS: Please fill in blanks a	Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 6-13-07 under the business name of Woofter Pump & Well Inc. by (signature) by				