1 LOCATION OF WATER WELL:		ATER WELL RE			KSA 82a- tion Number		hip Number	Danas	Number
County: Rawlins		4 SE	% SW		18		3 s	R	
istance and direction from nearest to	wn or city street	address of we	if located	within city?		<u> </u>	<u> </u>	<u> </u>	55
A STATE OF THE STA									
WATER WELL OWNER: Doug	Reinert								
R#, St. Address, Box # : RR1,	3ox 19					Board of	Agriculture, Divi	sion of Wate	er Resource
ty, State, ZIP Code : Atwo	d, Ks 6773	0					on Number:		
LOCATE WELL'S LOCATON WITH	4		D. 1 1 1	EC					
JAN X IN SECTION BOX:	MENTH OF	COMPLETE	DWELL		π. ELE	VATION:			
N							ft.		
							ured on mo/day/		
NW NE							hours p		
	Est. Yield	gpm:	Well wate	rwas		ft. after	hours p	umping	gpm.
W E	Bore Hole Dia	meter 8	in. to	50)	ft. and	in nditioning 11 tering 12	. to	ft
	1 Domes	K 10 BE USE	DAS: 5 F	'ublic water s	upply	8 Air coi	nditioning 11	Injection w	vell ocifu bolow)
	2 Irrigati	nn 4 India	trial 7 I	All lield water	supply	e Dewa	toring well	: Other (Spi	ecity below)
X	2 Irrigati	ulfantadalalari	unan / L	awn and gard	en (domesi	IC) 10 MON	toring well		
S	1	avoactenologi	cai sampie :	submitted to i			No X If yes,		
	submitted	F 144.					fected? Yes X		0
TYPE OF BLANK CASING USED:			ght Iron				JOINTS: Glued		
	(SR)			t 9 Other	-	-	Weld	ed	
2 PVC 4 ABS		7 Fiber					Threa	ded	
ank casing diameter 4.5	in. to	30 ft., C)ia	in. 1	0	ft., Dia		in. to	ft
ank casing diameter 4.5 using height above land surface	18	in., weight		2.38	lbs./ft.	Wall thickne	ss or gauge No.		248
PE OF SCREEN OR PERFORATIO	N MATERIAL:			17	PVC	10	Asbestos-ceme	nt	
1 Steel 3 Stainl	ess steel nized steel	5 Fiber	glass	8	RMP (SR)	11	Other (specify) None used (ope		
2 Brass 4 Galva	nized steel	6 Conc	rete tile	. 9	ABS	12	None used (ope	n hole)	
CREEN OR PERFORATION OPENII				ed wrapped			t	11 None (d	open hole)
	Mill slot Key punched		7 Torch	wrapped		9 Drilled I			
CREEN-PERFORATED INTERVALS						10 Other (specify)		
PREEN-PERFORATED INTERVALS							ft. to		
	From		π. το	 E0		From	ft. to		
GRAVEL PACK INTERVALS:		20					ft. to		
			ft. to			From)	ft.
GROUT MATERIAL: 1 Neat	cement	2 Cement gr	out	3 Ben	tonite	4 Other			
out Intervals From 0	ft. to 20	ft. From	n	ft. t	0	ft. Fr	om	ft. to	ft.
hat is the nearest source of possible	contamination:				10 Lives	tock pens	14 Aba	ndoned wat	er well
1 Septic tank	4 Lateral line		7 Pit privy		11 Fuel	-	15 Oil :	well/ Gas we	elf .
2 Sewer lines	5 Cess pool		8 Sewage	-		izer storage		er (specify b	•
3 Watertight sewer lines	6 Seepage p	it	9 Feedyar	ď		ticide storage		none	
rection from well?					How many	feet?			
FROM TO CODE		OLOGIC LOG		FROM	то		PLUGGING IN	TERVALS	
	rface	·····							
	ess				 			,	
	ay ne to med s	and 9 and			-				
	ack shale	and & gra	vei		 				
70 DI	AUR BIIGIU							·····	
								<u> </u>	
	· · · · · · · · · · · · · · · · · · ·				1 1		-		
								,	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr)

9-26-07

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.

554

This Water Well Record was completed on (mo/day/yr)

10-5-07-2

under the business name of

Woofter Pump & Well Inc.

by (signature)

er the business name of Woofter Pump & Well Inc. by (signature) Wooft by Wo