WATER WELL RECORD		WC-5	Division of Water	Resources App. N	0.	
1 LOCATION OF WATER W County: Rawlins	ELL: Fraction NW ¼ NW ¼ NE		Section Number 8		Range Number R 33 □E 🗸 W	
Street/Rural Address of Well L	Global Positioning					
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
403 Grant, Atwood, KS			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: Prideaux Liquor-Don Phelps			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: Rt. 2 Box 1			GPS unit (Make/Model:)			
City, State, ZIP Code : Atwood, KS 67730			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	Atwood, NS 07700		Est. Accuracy: <a> </a>			
3 LOCATE WELL	THE OF COMPLETED WELL	. 15'				
	PTH OF COMPLETED WELL			0 /	2)	
SECTION BOX: Depth(	Depth(s) Groundwater Encountered (1)7					
FST V	ECT VIELD					
W   NW -   - NE -   EST. FIELDgpm. Well water wastt. arter nours pumpinggpm. gpm   EST. FIELDgpm. well water wastt. arter						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
SW Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW1R						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
Water	well disinfected?  Yes	No				
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded 🗹 Threaded						
Casing diameter .2" in. to .5 ft., Diameter in. to ft., Diameter ft.						
Casing height above land surface. 3.99 in., Weightlbs./ft., Wall thickness or gauge No. Sch. 40 PVC.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot   ☐ Mill slot   ☐ Gauze wrapped   ☐ Torch cut   ☐ Drilled holes   ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From5						
From						
GRAVEL PACK INTERVALS: From4						
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site ☐ Direction from well ☐ Distance from well ☐ Distanc						
The state of the s	THOLOGIC LOG	FROM 7	ro Litho. Lo	vo (cont.) or PLU	GGING INTERVALS	
0 1 Gravel, FILL 1 6 Clay, silty						
6 15 Clay, silty						
Ciay, silty						
				MW1R		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .06/03/20.10 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed in mo/day fear) 08/06/2010						
under the business name ofCoranco Great Plains, Inc						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 W Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212  Check: White Copy,  Blue Copy, Pink Copy						
KSA 82a-1212			Check: Wh	ne Copy, 🔲 Blu	ie Copy, 🔲 Pink Copy	