WATE	R WELL	RECORD	For	m WWC-	5 D			urces; App. No.		
1 LOCATION OF WATER WELL: County: Rawlins			Fraction NE 4	NW 14	NE 4	Section Nu	ımber	Township Number T 3 S	Range Number R 33 W	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)										
located within city? 202 Grant St, Atwood, KS Latitude: N 39.81305° Longitude: W 101.04437°										
2 WATER WELL OWNER: L.M. Chvatal Elevation: Rim: 2843.70 TOC: 2843.37										
		Box # : P.O. Box				Datum:				
City, State, ZIP Code : Atwood, KS 67730 Data Collection Method: legal survey										
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 25.05 ft.										
	ATON					MW37				
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 18.70 ft. below land surface measured on mo/day/yr 5/7/13										
SECT	SECTION BOX: WELL'S STATIC WATER LEVEL 18.70 ft. below land surface measured on mo/day/yr 5/7/13									
N Pump test data: Well water was ft. after hours pumping gpm										
	Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (Monitoring well										
sw—se—										
	S							ell Disinfected? Yes		
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 10.05 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.33 ft., Weight Ibs./ft. Wall thickness or gauge No.										
Blank casing diameter 2 in. to 10.05 ft., Dia in. to ft.										
Casing height below land surface 0.33 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
ISCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 10.05 ft. to 25.05 ft. From ft. to										
SCREEN-PERFORATED INTERVALS: From 10.05 ft. to 25.05 ft. From ft. to ft.										
From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 8 ft. to 25.35 ft. From ft. to ft. From ft. to ft. From ft. to ft.										
GRAVEL PACK INTERVALS: From 8 ft. to 25.35 ft. From ft. to ft										
			From		ft. to		ft. Fro	om ft. t	o ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4)Other Concrete: 0-1 ft										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1 ft Grout Intervals From 1 ft. to 8 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction from well? S How many feet? 5 ft										
FROM	ТО		OGIC LO		FROM	1 TO		PLUGGING INTE	ERVALS	
0	10	Brown silty clay	JO OTO BO		TRO	1 10		1200011111		
10	25.35	Gray silty clay								
					1					
							T-11		OW	
					_		riushn	nount waiver from B	OW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 5/7/13 and this record is true to the best of my knowledge and belief.										
		tractor's License No.					ombleted	on (mo/day/year)(5/5/13	
1		of Larsen & Asso			_ by (sign:		J	(Hoolth and Francisco	· Duran - CW	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send and to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										