Section Number Township Number Range Num NE NE NE NE NE NE NE N	<u> </u>
WATER WELL OWNER: Tom Hayden RR St. Address, Box # Board of Agriculture, Division of Water Res Application Number:	er EW
Board of Agriculture, Division of Water Res Application Number:	
Board of Agriculture, Division of Water Res Application Number:	
State, ZIP Code Atwood, Ks 67730 Application Number:	
COCATON WITH AN "X" IN SECTION BOX: Depth (s) Groundwater Encountered 1 ft. 2 ft. 3	ources
Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/daylyr Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well w	
WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping pm: Well water was ft. after hours pumping Est. Yield pm: Well water was ft. after hours pumping In, to Some Hole Diameter sin. to 55 ft. and in, to Some Hole Diameter sin. to 55 ft. and in, to In to 55 ft. and in, to In to 6 oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 oil field water supply 9 Dewatering 12 Other (Specify I) I steel 3 RMP (SR) 5 Wought from 8 Concrete tile CASING JOINTS: Glued X Clampe Assent casing diameter 4.5 in. to 35 ft. Dia in. to 5.5 ft. Dia in. to Sing height above land surface 18 in., weight 2.38 jb.s/ft. Walt thickness or gauge No. 248 PPC OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Confinuous shot 3 Mill slot 6 Wire wrapped 9 Diffield holes 1 Confinuous shot 3 Mill slot 6 Wire wrapped 9 Diffield holes 1 Confinuous shot 3 Mill slot 6 Wire wrapped 9 Diffield holes 1 Confinuous shot 3 Mill slot 6 Wire wrapped 9 Diffield holes 1 Confinuous shot 6 Note of the firm fit. to 55 ft. From ft. to ft. From ft	
Pump test data: Well water was ft. after hours pumping test. Yield gpm: Well water was ft. after hours pumping mind the set. Yield gpm: Well water was ft. after hours pumping mind the set. Yield gpm: Well water was ft. after hours pumping mind mind to ft. after hours pumping mind mind gpm: Well water was ft. after hours pumping mind mind gpm: Well water was ft. after hours pumping mind gpm: Well water was gpm: Well water was ft. after hours pumping mind gpm: Well water was gpm: Well water was gpm: Well water was gpm: Well water was ft. after hours pumping mind gpm: Well water was ft. after hours pumping mind gpm: Well water was ft. after hours pumping mind gpm: Well water was ft. after hours pumping mind gpm: Well water was ft. after hours pumping mind gpm: Well	ft.
Pump test data: Well water was ft. after hours pumping gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in to gm; Well water was ft. after hours pumping in the gm; Well water was ft. after supping pew power water was ft. after hours pumping in the gm; Well water was ft. after hours pumping in the gm; Well Disinfected? Yes X No X. If yes moldwards well water was ft. after hours pumping in the gm; Well water was ft. after hours pumping in the gm; Well water was ft. after hours pumping in the gm; Well water was ft. after hours pumping in the gm; Well water w	
Bore Hole Diameter 8 in. to 55 ft. and in. to WEH_WATER TO BE USEP AS 5 Public water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify I) Domestic 4 Other I I I None (Specify I) Domestic 4 Other (Specify I) Domesti	gpm
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded ank casing diameter 4.5 in. to 35 ft., Dia in. to ft., Dia in. to sating height above land surface 18 in., weight 2.38 ibs./ft. Wall thickness or gauge No. 248 (PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 5 Gourcete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 12 ft. to 55 ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to 1 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Feel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 13 Insecticide storage 10 TONE TREEN TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Looss 10 21 Clay w/med sand strk	gpm
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample submitted	ft.
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample submitted to Department? Yes No X If yes, mo/day/yr sample white the Department? Yes No X If yes, mo/day/yr sample white the Department? Yes X No X If yes, mo/day/yr sample white the Department? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Waler Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Waler Waler Waler Waler Waler Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Waler Waler Waler Waler Waler Waler Waler Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler Well Disinfected? Yes X No X If yes, mo/day/yr sample Waler	elow)
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, moldaylyr sample submitted water Well Disinfected? Yes X No Yater Well Disinfected Yes X No Yater Well Disinfected Yes X No Yater Well Disinfected? Yes X No Yater Well Disinfected Yes X No Yater Well Disinfected Yes X	,
TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded 1 Threaded 2 Threaded 2 Threaded 3 Stainless steel 5 Fiberglass 8 RMP (SR) 1 Threaded 1 Threaded 1 Threaded 1 Threaded 1 Threaded 1 Threaded 2 Threaded 2 Threaded 3 Threaded 2 Threaded 2 Threaded 3 Threaded 2	
Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded 7 Fiberglass Threaded 7 Fiberglass Threaded 7 Fiberglass Threaded 8 In. to ft., Dia in. to stein pleight above land surface 18 in., weight 2.38 ibs./ft. Wall thickness or gauge No. 248 (PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 2 Brass 4 Galvanized steel 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 Seaw cut 11 None (open 9 Drilled holes) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 3 From 1. to 55 ft. From ft. to ft	
Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded	d
Threaded ank casing diameter 4.5 in. to 35 ft. Dia in. to ft. Dia in. to asing height above land surface 18 in., weight 2.38 in., weight 2.38 ibs./ft. Will thickness or gauge No. 248 (PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 3 EREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to ft. From ft	
ank casing diameter 4.5 in. to 35 ft. Dia in. to ft. Dia in. to saing height above land surface 18 in., weight 2.38 in., weight biss./ft. Wall thickness or gauge No. 248 / PE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 2 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drillied holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to Fro	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 2 REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to nat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none 10 Livestock pens 10 Other (specify) 11 Fuel storage 16 Other (specify) 12 None used (open hole) 8 Saw cut 11 None (open 10 of the contamination of the contamina	ft.
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 2 REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to nat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none 10 Livestock pens 10 Other (specify) 11 Fuel storage 16 Other (specify) 12 None used (open hole) 8 Saw cut 11 None (open 10 of the contamination of the contamina	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 2 REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to 55 ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to nat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none 10 Livestock pens 10 Other (specify) 11 Fuel storage 16 Other (specify) 12 None used (open hole) 8 Saw cut 11 None (open 10 of the contamination of the contamina	
REEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none ection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 10 Loess 10 Clay w/med sand strk	
1 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to ft. From ft. to From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we are selected in the selected ft. From 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 10 Loess 10 Clay w/med sand strk	ania)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to ft. From ft. to GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to ft. From ft. to From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout Out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none ection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 10 Loess 10 Clay w/med sand strk	iole)
REEN-PERFORATED INTERVALS: From 35 ft. to 55 ft. From ft. to From ft. to ft. From ft. to ft. From ft. to ft. From ft. From ft. To ft.	
From ft. to ft. From ft. to ft. Fr	ft.
GRAVEL PACK INTERVALS: From 12 ft. to 55 ft. From ft. to From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other rout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to hat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Loess 10 Clay w/med sand strk	ft.
From ft. to ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other out Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to hat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none rection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Loess 10 Clay w/med sand strk	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other rout Intervals From 0 ft. to 20 ft. From ft. to ft. From 10 Livestock pens 14 Abandoned water we 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Loess 10 Clay w/med sand strk	ft.
that is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below 17 Insecticide storage 18 Insecticide storage 19 FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 10 2 Surface 2 10 Loess 10 Clay w/med sand strk	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none rection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface PLUGGING INTERVALS 10 Livestock pens 14 Abandoned water we 15 Oil well/ Gas well 15 Oil well/ Gas well 16 Other (specify below 17 Insecticide storage 16 Other (specify below 18 Insecticide storage 19 FROM 19 Insecticide storage 19 Ins	ft.
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none rection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Loess 10 21 Clay w/med sand strk	II
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage none rection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface 2 10 Loess 10 21 Clay w/med sand strk	
How many feet? How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 2 Surface	
0 2 Surface 2 10 Loess 10 21 Clay w/med sand strk	
2 10 Loess 10 21 Clay w/med sand strk	
10 21 Clay w/med sand strk	
Clay	
31 55 Black shale	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and	
mpleted on (mo/day/yr) 4-8-05 and this record is true to the best of my knowledge and belief. Ka	
ater Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 4-29	
INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1800	