	WA ⁻	TER WELL RECORD F	orm WWC-5	KSA 82a-1	212	
1 LOCATION OF WATER W. County: RAWLINS		4 SW 14 NW		Number	Township Number	Range Number
	earest town or city?	BEARDSLEY		s of well if lo	cated within city?	
2 WATER WELL OWNER:		UKINS				
RR#, St. Address, Box # :	RRA	V 24450			Board of Agricultu	re, Division of Water Resource
	ATWOOD		2		Application Number	
3 DEPTH OF COMPLETED	WELL 1.08ft.	Bore Hole Diameter	in. to		ft., and	in. to ; fr
Well Water to be used as:	5 Public water	• • •	8 Air condition	Ū	11 Injection v	
1 Domestic 3 Feedlot	6 Oil field wat	• • •	9 Dewatering		(2)Other (Sp	
2 Irrigation 4 Industria	7 Lawn and g	arden only	10 Observation	well	1 3700	cz WELL day 80 year
						. day 5 . .
Pump Test Data NONE/ Est. Yield	gpm: Well water was	ft. after			ours pumping	gpm
4 TYPE OF BLANK CASING	G USED:	5 Wrought iron				lued
1 Steel 3	RMP (SR)	6 Asbestos-Cement				/elded
(2)PVC	4 ABS	7 Fiberglass			т	hreaded
Blank casing dia	in. to	ft., Dia	in. to .		ft., Dia	in. to f
Casing height above land sur	face	in., weight	2.9	lbs./ft	. Wall thickness or gaug	ge No 7/16 OR . 3/2
TYPE OF SCREEN OR PER	FORATION MATERIAL:		⊘ PVC		10 Asbestos-co	ement
	3 Stainless steel	5 Fiberglass	8 RMP	(SR)	11 Other (spec	cify)
ŀ	Galvanized steel	6 Concrete tile	9 ABS		12 None used	• • •
Screen or Perforation Openin		5 Gauzeo	• •		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill slot	6 Wire wi	• •		9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch o				
Screen-Perforation Dia	in. to	ft., Dia	in. to		ft., Dia	in to
Screen-Perforated Intervals:						of
	From	ft. to	ft.,	From	ft. 1	(0
Gravel Pack Intervals:						:o
C ODOLIT MATERIAL	From	ft to		From		o fi
5 GROUT MATERIAL:		@Cement grout				
Grouted Intervals: From,						ft. to
1 Septic tank	s the nearest source of possible contamination:		7 Cowana langua		-	4 Abandoned water well
2 Sewer lines	4 Cess pool 5 Seepage pit	7 Sewage lagoo			er storage 15 Oil well/Gas well cide storage 6 Other (specify below)	
3 Lateral lines	6 Pit privy	8 Feed yard 9 Livestock pens			12 Insecticide storage 13 Watertight sewer lines 15.70.94.15	
Direction from well						
was submitted						
		- · · · · · · · · · · · · · · · · · · ·	•	•		Volts
Depth of Pump Intake						gal./min
Type of pump:	1 Submersible		3 Jet		ugal 5 Reciproc	•
					structed or (2) plugged	and a section and the
completed on			<i></i>		80	vea
and this record is true to the					33/	yea
This Water Well Record was	completed on	6 mo	onth			
name of /-/	A DRILLING		y (signature)	Hou	a a Bamba	L.
7 LOCATE WELL'S LOCAT		LITHOLOGIC	C LOG	FROM		LITHOLOGIC LOG
WITH AN "X" IN SECTION	ON 0 1	TOP SOIL				
BOX:	1 50	POCK & FI	NE SAND	•		
	50 70	CLAY				
	10 91	FINE SAND	ROCK			
NW NE	91 101	GRAVEL				
× × × 1	107 108	SHALE				
- SW SE						
1 1 1			177.44			10.000000000000000000000000000000000000
<u>†</u> <u> 1 1 5 5 5 5 5 5 5 5 </u>						
1 Mile ————————————————————————————————————						
ELEVATION:						
Depth(s) Groundwater Encou	ntered 1/./fl	t. 2 ft. 3	ft. 4	ft.	(Use a second	sheet if needed)
INSTRUCTIONS: Use typewr	iter or ball point pen plea	se press firmly and PRINT	clearly Please t	fill in blanks	underline or circle the c	orrect answers. Send top three
retain one for your records.	or riealur and Environmen	ii, Division of Environment, V	vater Well Contr	actors, Tope	ka, KS 66620. Send one	to WATER WELL OWNER and