

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Rawlins		SE 1/4 SE 1/4 NW 1/4	24	T 3 S	R 36 EW
Distance and direction from nearest town or city street address of well if located within city?					
Three miles east of McDonald, Ks. 2 WATER WELL OWNER: Claribel Bell RR#, St. Address, Box # : City, State, ZIP Code : McDonald, Ks. 67745					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 326 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 197 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 326 ft. and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded	
Blank casing diameter 4.5 in. to 286 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 18 in., weight 2.38 lbs./ft. Wall thickness or gauge No. 248					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass		7 PVC 10 Asbestos-cement			
2 Brass 4 Galvanized steel 6 Concrete tile		8 RMP (SR) 11 Other (specify)			
		9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 286 ft. to 326 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 326 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		11 Fuel storage 15 Oil well/Gas well			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		12 Fertilizer storage 16 Other (specify below)			
13 Insecticide storage					
Direction from well? SW		How many feet? 100'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Surface	208	212	Sandy clay
3	110	Clay	212	223	Cemented sand
110	117	Caliche	223	229	Med. sand
117	140	Sandy clay	229	234	Caliche & cemented sand
140	145	Fine sand	234	237	Med. sand (hard)
145	150	Sandy clay	237	244	Cemented sand
150	162	Med. sand	244	247	Sandy clay
162	168	Clay with caliche	247	260	Med. sand
168	179	Cemented sand with clay strks.	260	275	Med. sand with caliche strk.
179	188	Med. sand with caliche strks.	275	277	Clay
188	192	Clay	277	288	Med. sandwith hard streak
192	195	Med. sand (cemented)	288	294	Hard cemented sand
195	197	Clay	294	320	Fine sand with clay strk
197	205	Med. sand	320	324	Ochre
205	208	Caliche	324	326	Shale
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-2-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 394 This Water Well Record was completed on (mo/day/yr) 8-3-90 under the business name of WOOFER PUMP & WELL by (signature) <i>Walter Woofler</i>					