

1] LOCATION OF WATER WELL: County: <u>Rawlins</u>	Fraction: <u>NE 1/4 SE 1/4 NE 1/4</u>	Section Number: <u>20</u>	Township Number: <u>T 3 S</u>	Range Number: <u>R 36 EW</u>
--	---------------------------------------	---------------------------	-------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

in town
MW 7

2] WATER WELL OWNER: <u>D&L SERVICE</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>Highway 36</u>	Application Number:
City, State, ZIP Code: <u>McDonnald, KS</u>	

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4] DEPTH OF COMPLETED WELL: <u>230</u> ft. ELEVATION:
---	---

Diagram of a 36-section grid (6x6). The sections are labeled NW, NE, SW, SE. An 'X' is marked in the NE section.

Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft.

WELL'S STATIC WATER LEVEL 209.50 ft. below land surface measured on mo/day/yr

Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm

Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter _____ in. to _____ ft., and _____ in. to _____ ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	<input checked="" type="radio"/> Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes ☐ No ☒

5] TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) _____
<input checked="" type="radio"/> PVC	4 ABS	7 Fiberglass	_____
Blank casing diameter <u>2</u> in. to <u>200</u> ft. Dia _____ in. to _____ ft. Dia _____ in. to _____ ft.			
Casing height above land surface <u>0</u> in., weight _____ lbs./ft. Wall thickness or gauge No. _____			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="radio"/> PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<input checked="" type="radio"/> Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) _____
SCREEN-PERFORATED INTERVALS: From <u>200</u> ft. to <u>230</u> ft. From _____ ft. to _____ ft.			
GRAVEL PACK INTERVALS: From <u>198</u> ft. to <u>230</u> ft. From _____ ft. to _____ ft.			

6] GROUT MATERIAL:	1 Neat cement	<input checked="" type="radio"/> Cement grout	<input checked="" type="radio"/> Bentonite	4 Other _____
Grout intervals: From <u>0</u> ft. to <u>2.25</u> ft. From <u>2.25</u> ft. to <u>190</u> ft. From <u>190</u> ft. to <u>198</u> ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below) _____

Direction from well?		How many feet?	
FROM	TO	LITHOLOGIC LOG	PLUGGING INTERVALS
12'	88'	silt no staining or odor CLAY SAND CLAY SAND	
88'	128'		
128'	138'		
138'	158'		
158'	230'		

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-26-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>438</u> This Water Well Record was completed on (mo/day/yr) <u>8/31/94</u> under the business name of <u>Kansas City Testing Laboratory</u> by (signature) <u>Joe B. Buehler</u>
